DAILY RAINFALL
ISLE OF MAN

1911-20

DOUGLAS	BOROUGH CEMETERY	1911-20
DOUGLAS	CLYPSE RES ONCHAN	1912-20
KIRKMICHAEL	BISHOPS COURT	1912, 16, 18-20
RAMSEY	TOWN HALL	1911-20
RAMSEY	NORTH PROMENADE	1915-20

FORM A2.
BRITISH RAINFALL.
22 JUN 1912

DOUGLAS
BOROUGH CEMETERY
1911 - 1920

Kept at Dou
in the ~~County of~~ Is
by Jam Kleo
Boro

...ound
8 in.
...ve Ground 1 ft. 0 in.
Sea Level ft.
9 a.m.
Name Douglas Station
Distance 1/4 miles Direction S.S.W.

IMPORTANT NO
previous day. If an O
requested to add the re
for it at the end of th
the selection and plac
Organization are given i
Dr. H. R. MILL, 62, Ca

...d the result entered to the
...iversal rule, he is earnestly
year in the space provided
...rement of rain,
British Rainfall
...n application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.293	—	0.135	—	0.010	0.032	—	—	0.358	0.172	1
2	—	0.010	0.013	—	0.266	—	0.010	0.050	—	0.332	0.030	0.283	2
3	—	—	0.198	—	0.425	—	0.010	0.010	—	—	0.312	0.180	3
4	—	—	—	0.012	—	—	—	0.430	—	—	0.474	0.187	4
5	0.861	—	0.134	—	—	—	—	0.277	—	0.010	—	0.046	5
6	0.016	—	—	—	0.003	—	—	0.142	—	—	0.010	0.757	6
7	0.079	0.064	0.013	—	0.042	—	—	—	—	0.010	0.358	0.020	7
8	0.010	0.030	0.168	—	0.010	—	—	—	—	—	0.090	0.515	8
9	—	0.028	0.024	—	—	—	—	—	—	—	0.512	0.409	9
10	0.654	0.380	0.051	—	—	—	—	—	0.020	—	—	1.172	10
11	0.038	—	0.061	—	—	—	—	—	0.021	—	0.355	0.011 ~~0.911~~	11
12	—	0.030	0.040	—	—	—	—	—	0.100	—	0.167	~~0.172~~ —	12
13	—	0.351	—	—	0.190	—	—	—	0.026	—	0.867	0.172	13
14	—	0.235	—	—	0.021	—	—	—	—	—	0.250	0.178	14
15	0.015	0.296	—	—	—	—	—	—	—	—	0.322	0.065	15
16	—	0.140	0.016	0.037	—	.206	0.010 ~~0.100~~	—	—	—	0.360	0.251	16
17	—	—	—	0.021	—	.255	0.010	—	—	—	0.188	0.280	17
18	—	0.807	—	0.160	—	.012	—	—	—	0.068	0.071	0.057	18
19	—	0.010	—	0.133	—	—	0.010	—	0.487	0.060	0.033	0.623	19
20	—	0.526	—	0.411	—	—	0.376	0.125	—	0.265	—	0.065	20
21	0.063	0.226	—	0.190	—	.384	—	—	—	0.454	—	0.013	21
22	0.101	0.163	—	0.037	—	0.260	—	—	0.219	0.163	—	0.010	22
23	0.015	0.040	—	0.063	0.047	—	—	0.180	0.283	0.054	—	0.262	23
24	0.035	0.267	0.013	0.489	—	1.208	—	0.195	—	0.089	—	0.099	24
25	—	0.221	0.010	0.222	—	0.138	0.430	0.010	0.181	0.184	—	0.138	25
26	—	0.190	—	0.173	—	0.015	0.147	0.105	0.031	0.721	—	0.301	26
27	—	0.590	—	0.229	—	—	0.737	0.260	0.219	—	0.278	0.259	27
28	—	0.038	—	0.790	—	0.155	0.020	0.104	0.039	—	0.026	0.140	28
29	—		.013	—	—	0.373	0.562	—	0.303	1.448	—	0.240	29
30	—		—	—	—	—	0.010	—	0.048	0.247	0.109	—	30
31	—		0.030		0.351		—	0.010		—		0.020	31
Total	1.887	4.642	1.077	2.967	1.510	3.006	2.342	1.930 ~~1.898~~	1.977	4.105	5.170	6.919	TOTAL for year 37.532 37.500 on 188 days
No. of Rain Days.	~~12~~ 11	21	~~16~~ 15	14	10	10	13	~~13~~ 14	13	14	20	29	

W. 8,000, X. 11.

1.89 4.64 1.08 2.97 1.51 3.01 2.34 1.93 1.98 4.11 5.17 6.92 37.55

FORM A2.
BRITISH RAINFALL.
22 JUN 1912

R[illegible] 11.

Kept at Douglas

in the ~~County of~~ Isle of Man

by Jas Kleoph Esq
Boroughreeve.

RAIN GAUGE { Pattern Round; Diameter of top 8 in.; Height of top above Ground 1 ft. 0 in.; " " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Douglas Station; Distance 1/4 miles Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.293	—	0.135	—	0.010	0.032	—	—	0.358	0.172	1
2	—	0.010	0.013	—	0.266	—	0.010	0.050	—	0.332	0.030	0.283	2
3	—	—	0.198	—	0.425	—	0.010	0.010	—	—	0.312	0.180	3
4	—	—	—	0.012	—	—	—	0.430	—	—	0.474	0.187	4
5	0.861	—	0.134	—	—	—	—	0.277	—	0.010	—	0.046	5
6	0.016	—	—	—	0.023	—	—	0.142	—	—	0.010	0.757	6
7	0.079	0.064	0.013	—	0.042	—	—	—	—	0.010	0.358	0.020	7
8	0.010	0.030	0.168	—	0.010	—	—	—	—	—	0.090	0.515	8
9	—	0.028	0.024	—	—	—	—	—	—	—	0.512	0.409	9
10	0.654	0.380	0.051	—	—	—	—	—	0.020	—	—	1.172	10
11	0.038	—	0.061	—	—	—	—	—	0.021	—	0.355	0.011 ~~0.944~~	11
12	—	0.030	0.040	—	—	—	—	—	0.100	—	0.167	~~0.172~~ —	12
13	—	0.351	—	—	0.190	—	—	—	0.026	—	0.867	0.172	13
14	—	0.235	—	—	0.021	—	—	—	—	—	0.250	0.178	14
15	0.015	0.296	—	—	—	—	—	—	—	—	0.322	0.065	15
16	—	0.140	0.016	0.037	—	.206	0.010 ~~0.100~~	—	—	—	0.360	0.251	16
17	—	—	—	0.021	—	.255	0.010	—	—	—	0.188	0.280	17
18	—	0.807	—	0.160	—	.012	—	—	—	0.068	0.071	0.057	18
19	—	0.010	—	0.133	—	—	0.010	—	0.487	0.060	0.033	0.623	19
20	—	0.526	—	0.411	—	—	0.376	0.125	—	0.265	—	0.065	20
21	0.063	0.226	—	0.190	—	.384	—	—	—	0.454	—	0.013	21
22	0.101	0.163	—	0.037	—	0.260	—	—	0.219	0.163	—	0.010	22
23	0.015	0.040	—	0.063	0.047	—	—	0.180	0.283	0.054	—	0.262	23
24	0.035	0.267	0.013	0.489	—	1.208	—	0.195	—	0.089	—	0.099	24
25	—	0.221	0.010	0.222	—	0.138	0.430	0.010	0.181	0.184	—	0.138	25
26	—	0.190	—	0.173	—	0.015	0.147	0.105	0.031	0.721	—	0.301	26
27	—	0.590	—	0.229	—	—	0.737	0.260	0.219	—	0.278	0.259	27
28	—	0.038	—	0.790	—	0.155	0.020	0.104	0.039	—	0.026	0.140	28
29	—		.013	—	—	0.373	0.562	—	0.303	1.448	—	0.240	29
30	—		—	—	—	—	0.010	—	0.048	0.247	0.109	—	30
31	—		0.030		0.351		—	0.010		—		0.020	31
Total	1.887	4.642	1.077	2.967	1.510	3.006	2.342	1.930 ~~1.898~~	1.977	4.105	5.170	6.919	TOTAL for year 37.532 37.500 on 180 days
No. of Rain Days.	~~12~~ 11	21	~~15~~	14	10	10	13	13	13	14	20	29	

W. 8,000, X. 11.

1.89 4.64 1.08 2.97 1.51 3.01 2.34 1.93 1.98 4.11 5.17 6.92 37.55

rec'd by MO. 24.VI.12.

REGISTER OF RAINFALL IN 19 12.

FORM AR. BRITISH RAINFALL. 22 JUN 1912

Kept at Douglas

in the County of Isle of Man

by Jas Kneale
Boarding House.

RAIN GAUGE: Pattern Round; Diameter of top 8 in.; Height of top above Ground 1 ft. 0 in.; " " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Douglas Station; Distance ½ miles; Direction SSW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.293	—	0.135	—	0.010	0.032	—	—	0.358	0.172	1
2	—	0.010	0.013	—	0.266	—	0.010	0.050	—	0.352	0.030	0.288	2
3	—	—	0.198	—	0.425	—	0.010	0.010	—	—	0.312	0.180	3
4	—	—	—	0.012	—	—	—	0.450	—	—	0.474	0.187	4
5	0.861	—	0.134	—	—	—	—	0.277	—	0.010	—	0.004	5
6	0.012	—	—	—	0.003	—	—	0.142	—	—	0.010	0.757	6
7	0.079	0.066	0.013	—	0.002	—	—	—	—	0.010	0.358	0.120	7
8	0.018	0.030	0.169	—	0.010	—	—	—	—	—	0.090	0.515	8
9	—	0.028	0.024	—	—	—	—	—	—	—	0.612	0.109	9
10	0.654	0.380	0.051	—	—	—	—	—	0.024	—	—	1.172	10
11	0.038	—	0.061	—	—	—	—	—	0.021	—	0.355	0.041	11
12	—	0.030	0.040	—	—	—	—	—	0.020	—	0.187	[illegible]	12
13	—	0.381	—	—	0.190	—	—	—	0.026	—	0.117	0.172	13
14	—	0.235	—	—	0.021	—	—	—	—	—	0.260	0.178	14
15	0.045	0.296	—	—	—	—	—	—	—	—	0.322	0.065	15
16	—	0.140	0.016	0.037	—	0.206	0.010	—	—	—	0.260	0.251	16
17	—	—	—	0.021	—	0.255	0.010	—	—	—	0.181	0.290	17
18	—	0.807	—	0.160	—	0.012	—	—	—	0.048	0.471	0.057	18
19	—	0.010	—	0.135	—	—	0.010	—	0.487	0.010	0.088	0.428	19
20	—	0.526	—	0.044	—	—	0.376	0.125	—	0.246	—	0.010	20
21	0.063	0.226	—	0.190	—	0.384	—	—	—	0.021	—	0.018	21
22	0.101	0.163	—	0.037	—	0.260	—	—	0.219	0.163	—	0.010	22
23	0.015	0.040	—	0.063	0.047	—	—	0.180	0.283	0.067	—	0.242	23
24	0.036	0.267	0.013	0.489	—	1.208	—	0.095	—	0.021	—	0.299	24
25	—	0.221	0.010	0.282	—	0.458	0.430	0.010	0.181	0.184	—	0.138	25
26	—	0.190	—	0.173	—	0.045	0.147	0.105	0.031	0.721	—	0.301	26
27	—	0.690	—	0.229	—	—	0.787	0.260	0.219	—	0.278	0.259	27
28	—	0.039	—	0.790	—	0.155	0.030	0.104	0.039	—	0.026	0.140	28
29	—		0.013	—	—	0.373	0.562	—	0.302	1.442	—	0.240	29
30	—		—	—	—	—	0.110	—	0.048	0.147	0.104	—	30
31	—		0.030		0.339		—	0.010		—		0.020	31
Total	1.887	4.648	1.377	2.467	1.510	3.002	2.143	1.538	1.777	1.905	5.170	4.919	Total
No. of Rain Days.	12	21	16	14	10	10	13	15	13	4	20	29	No. of Rain Days.
Mean Daily Rain	1.89	4.64	1.08	2.97	1.51	3.01	2.34	1.93	1.98	4.11	5.17	6.92	Mean Daily Rain

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL. 16 JAN 1913

Kept at Douglas.
in the ~~County~~ of Isle of Man.
by Frank Cowley Boom & Surveyor.

Lat. 54° 10' N. Long. 4° 29' W.
Time of Observation 9 a.m.
Nearest Railway Station Douglas Station.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground [redacted] ft. 10½ in.
" " " " Sea Level 138 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·194	·010	·068	·070	–	·016	·072	–	·025	·600	1
2	·050	·043	·531	·020	·117	·114	–	–	·192	–	–	·070	2
3	·191	–	–	–	–	·050	–	·177	·606	–	·036	·252	3
4	·216	–	·235	·013	–	·020	–	1·442	–	–	1·348	·030	4
5	·100	·066	–	–	·225	–	–	–	·197	·073	·010	~~·098~~	5
6	·309	·496	–	–	·065	–	–	·010	·017	–	·015	·160	6
7	–	·492	·158	·020	·082	·019	·100	·012	·030	–	·073	·042	7
8	·365	·343	·330	·118	·012	·082	–	·055	·050	–	·300	·010	8
9	·211	·110	–	·298	–	–	·040	·040	–	–	·253	·340	9
10	·147	–	–	·010	·051	·028	·098	–	–	–	·898	·055	10
11	·041	–	–	–	·010	–	·318	·044	–	–	·033	·052	11
12	·400	–	·544	·030	–	·065	·205	·133	–	·035	–	·132	12
13	·271	–	·073	–	–	–	–	·071	–	·630	–	·232	13
14	·109	·252	·010	–	–	·040	–	·147	·010	·010	–	·232	14
15	·120	·285	·015	–	·029	·133	–	·070	–	·370	–	·103	15
16	·293	·200 (-02)	·520	–	–	–	–	·297	–	·350	·010	–	16
17	·120	·050	·015	–	·018	·876	–	·050	–	Trace	·080	·142	17
18	·096	·279	·021	–	–	·648	–	–	–	·090	·140	·225	18
19	–	·050	·351	–	–	·055	–	·273	–	·040	·030	·010	19
20	·200	–	·182	–	·842	·039	·034	·072	–	·240	·010	·010	20
21	–	·142	·068	·040	·015	·349	–	·130	–	·460	·020	·206	21
22	·016	·404	–	–	·043	·547	–	·752	–	·130	·200 ~~·460~~	·070	22
23	–	–	·302	–	–	–	·210	·084	–	·010	·140 ~~·220~~	133	23
24	–	·097	·022	–	–	·310 (231)	·049	·050	–	·150	~~·120~~ ~~·220~~	·170	24
25	–	·010	·043	–	–	·019	·010	–	–	·065	252	·140	25
26	–	·358	·067	–	–	–	·112	–	–	·990	·110 ~~·156~~	·230	26
27	·012	·023	·350	–	–	·528	·610	·010	–	·025	·155	·308	27
28	–	·060	–	–	–	·062	·233	·888	–	·943	·220	–	28
29	–	·112	·055	–	–	·010	·458	·166	·276	·103	–	·042	29
30	–		·226	·100	·227	·069	·033	–	·010	·047	·188	·427	30
31	–		·082		·140		·770	·186		·010		·010	31
Total	3·267	3·692	4·394	0·659	1·944	4·133	3·280	5·170	1·460	4·671	4·666	4·433 ~~4·433~~	YEAR'S TOTAL 47·769
Rain Days.	19	20	23	10	15	22	15	24	10	20	24	28	230

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL. 10 JAN 1913

Kept at Douglas
in the ~~County~~ of Isle of Man.
by Frank Cowley Brown, Surveyor.

Lat. 54° 10' N. Long. 4° 29' W.
Time of Observation 9 a.m.
Nearest Railway Station Douglas Station.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 10½ in.
" " " " Sea Level 138 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	4.9 .194	0.3 .010	1.7 .068	1.8 .070	–	0.3 .014	1.8 .072	–	0.6 .025	15.3 .600	1
2	1.3 .050	1.1 .043	13.5 .531	0.5 .020	3.0 .117	2.9 .114	–	–	4.9 .192	–	–	1.8 .070	2
3	4.9 .191	–	–	–	–	1.3 .050	–	4.5 .177	15.4 .606	–	0.9 .036	6.4 .252	3
4	5.5 .216	–	6.0 .235	0.0 .012	–	0.5 .020	–	36.6 1.442	–	–	7.3 .288	0.8 .030	4
5	2.5 .100	1.7 .066	–	–	5.7 .225	–	–	–	5.0 .197	1.9 .075	0.3 .010	2.5 .098	5
6	7.9 .309	12.6 .496	–	–	1.7 .065	–	–	0.3 .010	0.4 .017	–	0.4 .015	4.1 .160	6
7	–	12.5 .492	4.0 .158	0.5 .020	2.1 .082	0.5 .019	2.5 .100	0.3 .012	0.8 .030	–	1.9 .073	1.1 .042	7
8	9.3 .365	8.7 .343	8.4 .330	3.0 .118	0.3 .012	2.1 .083	–	1.4 .055	1.3 .050	–	7.6 .300	0.3 .010	8
9	5.3 .211	2.8 .110	–	7.6 .298	–	–	1.0 .040	1.0 .040	–	–	6.4 .253	8.6 .340	9
10	3.7 .147	–	–	0.3 .010	1.3 .051	0.7 .028	2.5 .098	–	–	–	7.5 .298	1.4 .055	10
11	1.1 .044	–	–	–	0.3 .010	–	8.1 .318	1.1 .044	–	–	0.9 .023	1.9 .052	11
12	10.1 .400	–	13.8 .544	0.8 .030	–	1.7 .065	5.2 .205	3.4 .133	–	0.9 .036	–	3.3 .132	12
13	6.9 .271	–	1.9 .073	–	–	–	–	1.8 .071	–	15.5 .630	–	5.9 .232	13
14	3.8 .149	6.4 .252	0.3 .010	–	–	1.0 .040	–	3.7 .147	0.3 .010	8.3 .010	–	5.9 .232	14
15	3.1 .120	7.3 .285	0.4 .015	–	0.7 .029	3.4 .133	–	1.8 .070	–	9.4 .370	–	2.6 .103	15
16	7.5 .293	20.5 .806	13.2 .520	–	–	–	–	7.5 .297	–	8.9 .350	0.3 .010	–	16
17	3.1 .120	1.3 .050	0.4 .015	–	0.5 .018	22.3 .876	–	1.3 .050	–	[illegible]	2.0 .080	3.6 .142	17
18	2.5 .096	7.1 .279	0.5 .021	–	–	16.5 .648	–	–	–	2.3 .090	3.5 .140	5.7 .225	18
19	–	1.3 .050	8.9 .351	–	–	1.4 .055	–	6.9 .273	–	1.0 .040	0.8 .030	0.3 .010	19
20	5.1 .200	–	4.6 .182	–	21.4 .842	1.0 .039	0.9 .034	1.8 .072	–	6.1 .240	0.3 .010	0.3 .010	20
21	–	3.6 .142	1.7 .068	1.0 .040	0.4 .016	8.9 .349	–	5.3 .130	–	11.7 .460	0.5 .020	5.2 .206	21
22	3.4 .016	10.3 .404	–	–	1.1 .043	13.9 .547	–	19.1 .752	–	5.3 .130	5.1 .200	1.8 .070	22
23	–	–	7.7 .302	–	–	–	5.3 .210	3.1 .094	–	0.3 .010	[illegible]	3.4 .133	23
24	–	2.5 .097	0.5 .022	–	–	7.9 .311	1.8 .049	1.3 .050	–	3.8 .120	[illegible]	4.3 .170	24
25	–	0.3 .010	1.1 .043	–	–	0.5 .019	0.3 .010	–	–	1.7 .066	5.4 .212	3.5 .140	25
26	–	9.1 .358	1.7 .067	–	–	–	2.9 .112	–	–	25.1 .990	8.110 .435	5.9 .230	26
27	0.3 .012	0.6 .023	8.6 .339	–	–	13.4 .529	15.5 .610	0.3 .010	–	0.6 .025	2.9 .115	7.8 .308	27
28	–	1.5 .060	–	–	–	1.6 .062	5.9 .233	22.5 .888	–	21.4 .843	5.6 .221	–	28
29	–	2.9 .112	1.4 .055	–	–	0.3 .010	11.6 .458	4.2 .166	7.0 .276	2.6 .103	–	1.1 .042	29
30	–	[illegible]	5.7 .224	2.5 .100	5.8 .227	1.0 .039	0.9 .033	–	0.3 .010	1.2 .047	4.8 .188	10.9 .427	30
31	–	[illegible]	2.1 .082	[illegible]	3.5 .140	[illegible]	4.7 .186	[illegible]	[illegible]	0.3 .010	[illegible]	0.3 .010	31
99 Total	3.267	3.692	111.6 4.394	16.8 0.659	49.5 1.949	105.3 4.133	83.4 3.280	131.2 5.170	37.2 1.462	118.8 4.671	118.7 4.666	4.433 4.433	YEAR'S TOTAL 1065.3
Rain Days.	19	20	23	10	15	22	15	24	10	20	24	25	230

W. P. 800, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 7 JAN 1914

Kept at Douglas,

in the ~~County~~ Isle *of* Man.

by [illegible]

Lat. 54° 10′ N. Long. 4 28 W.

Time of Observation 9 a.m. local mean time.

Nearest Railway Station Douglas

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.295	.030	—	—	—	—	—	—	.453	.022	1
2	.308	.105	.530	.046	.400	.418	—	—	—	—	.265	.158	2
3	.086	.243	.080	—	.170	—	—	—	—	.170	—	.580	3
4	.019	.061	.071	—	.060	.041	—	—	—	.138	.306	.605	4
5	.015	.080	.025	—	.288	.040	.130	—	—	.077	.491	—	5
6	.402	.163	.396	—	.142	.202	.045	—	—	—	.080	.150	6
7	.011	~~.283~~ ~~.285~~	—	—	.171	.150	—	—	—	.330	.352	.166	7
8	.010	.060	.368	—	.279	.165	.350	.030	.010	—	~~.322~~ ~~.382~~	.102	8
9	—	.395	.095	.030	.200	.610	.244	—	—	—	.300	.010	9
10	.250	.164	.324	.068	.060	—	—	—	.010	.095	.101	—	10
11	.830	.010	.010	.451	—	.112	.050	—	—	.071	1.300	.138	11
12	—	—	.016	.010	.062	.230	.050	.057	.533	trace	.290	—	12
13	—	—	.122	.020	.432	.037	.010	.058	.596	.460	.323	—	13
14	.240	—	.048	.045	—	—	—	.068	.326	.310	.010	—	14
15	.270	—	.073	.442	—	—	—	.020	.060	trace	.128	.050	15
16	.278	—	.010	.083	—	—	.035	—	—	—	.162	—	16
17	.094	—	.022	.060	.046	—	.045	—	—	—	.280	—	17
18	—	—	.384	.210	.010	.111	.095	—	—	trace	.190	—	18
19	.228	—	—	.110	.107	.502	.010	—	.048	.285	.060	—	19
20	.068	—	.010	.365	.020	—	.035	.025	—	.060	.380	—	20
21	—	—	.050	.010	.197	.027	.247	.309	—	.018	—	—	21
22	.298	—	.720	—	.032	.046	—	.147	.718	.010	—	—	22
23	.587	—	.030	—	.043	.237	—	.068	.490	—	—	.027	23
24	.100	.041	—	.199	—	.027	—	—	.012	—	.122	.058	24
25	—	.087	—	.040	—	—	—	—	.070	.102	.020	.373	25
26	—	.015	—	.241	—	—	—	—	.114	.172	.016	.750	26
27	—	—	—	.090	.020	—	—	—	—	.166	.010	trace	27
28	.303	—	.173	.121	.020	—	—	—	—	.180	—	.200	28
29	—		.160	.330	.125	—	—	—	—	.759	.018	—	29
30	.240		trace	—	.012	—	—	—	—	.020	.010	—	30
31	—		.105		—		—	—		.037		—	31
Total	4.637	1.707	4.117	3.001	2.896	2.955	1.346	0.782	2.987	3.460	5.989	3.389	YEAR'S TOTAL 37.266
Rain Days.	20	13	~~25~~ 24	21	22	16	13	9	12	~~22~~ 19	25	15 16	214

W.7,000, XI. 13

209

REGISTER OF RAINFALL IN 19[illegible].

FORM A. BRITISH RAINFALL. JAN 1914

Kept at Douglas,
Isle
in the County of Man.
by [illegible]

Lat. 54° 10' N. Long. 4 29 W.
Time of Observation 9 a.m. local mean time.
Nearest Railway Station Douglas
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.298	.080	—	—	—	—	—	—	.485	.032	1
2	.200	.105	.380	.046	.400	.418	—	—	—	—	.265	.130	2
3	.086	.045	.090	—	.170	—	—	—	—	.270	—	.680	3
4	.010	.061	.071	—	.090	.041	—	—	—	.130	.306	.606	4
5	.018	.000	.025	—	.200	.040	.130	—	—	.077	.491	—	5
6	.408	.105	.396	—	.148	.202	.046	—	—	—	.080	.180	6
7	.011	[illegible]	—	—	.171	.100	—	—	—	.230	.552	.166	7
8	.010	.000	.368	—	.278	.105	.350	.080	.010	—	[illegible]	.109	8
9	—	.098	.098	.030	.200	.010	.264	—	—	—	.300	.010	9
10	.250	.104	.384	.068	.060	—	—	—	.010	.098	.101	—	10
11	.080	.010	.010	.481	—	.112	.080	—	—	.071	1.800	.158	11
12	—	—	.016	.010	.068	.250	.080	.087	.555	trace	.220	—	12
13	—	—	.128	.080	.452	.087	.010	.088	.096	.400	.525	—	13
14	.240	—	.048	.045	—	—	—	.068	.096	.510	.010	—	14
15	.270	—	.075	.442	—	—	—	.088	.080	trace	.128	.080	15
16	.278	—	.010	.085	—	—	.088	—	—	—	.162	—	16
17	.094	—	.088	.080	.042	—	.048	—	—	—	.220	—	17
18	—	—	.264	.210	.010	.111	.098	—	—	trace	.190	—	18
19	.288	—	—	.110	.107	.208	.010	—	.088	.228	.080	—	19
20	.086	—	.010	.268	.020	—	.088	.088	—	.060	.220	—	20
21	—	—	.050	.010	.107	.087	.247	.304	—	.018	—	—	21
22	.298	—	.780	—	.032	.044	—	.148	.718	.010	—	—	22
23	.207	—	.080	—	.048	.227	—	.068	.460	—	—	.027	23
24	.100	.041	—	.198	—	.087	—	—	.018	—	.198	.088	24
25	—	.087	—	.040	—	—	—	—	.070	.198	.080	.573	25
26	—	.015	—	.241	—	—	—	—	.114	.172	.016	.730	26
27	—	—	—	.080	.080	—	—	—	—	.166	.010	trace	27
28	.098	—	.176	.121	.080	—	—	—	—	.120	—	.200	28
29	—		.120	.080	.128	—	—	—	—	.720	.018	—	29
30	.240		trace	—	.018	—	—	—	—	.020	.010	—	30
31	—		.126		—		—	—		.087	—	—	31
99 Total	1.709	1.204	4.117	3.001	3.098	3.088	1.948	0.788	2.287	3.400	5.880	3.239	YEAR'S TOTAL 31.944
Rain Days.	20	15	24	21	22	16	15	9	12	19	25	15	209

W.J.000, XI. 13

209

Copy

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 13 JAN 1915

Kept at Douglas

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July. MMS	Aug. MMS	Sept.	Oct.	Nov. MM	Dec. MM	Date.
1							9·4	10·4			-	4·1	1
2							1·8	0·3			6·6	2·0	2
3							-	·3			·5	16·8	3
4							8·1	-			-	5·6	4
5							4·6	·5			11·4	-	5
6							-	1·8			-	5·8	6
7							2·0	15·0			1·3	-	7
8							2·5	9·0			1·3	5·6	8
9							-	-			8·1	-	9
10							-	1·3			1·0	-	10
11							-	-			2·8	5·6	11
12							0·3	-			3·8	1·3	12
13							4·1	-			1·3	9·4	13
14							-	-			12·5	3·3	14
15							-	-			·3	1·8	15
16							-	-			-	1·5	16
17							4·8	-			-	13·2	17
18							1·3	-			-	5·8	18
19							1·5	-			·8	3·8	19
20							-	-			-	3·6	20
21							-	·3			-	3·8	21
22							-	5·3			1·3	-	22
23							0·~~1~~ 8	1·9			1·0	-	23
24							5·3	·5			8·6	-	24
25							0·5	31·9			10·9	36·8	25
26							1·~~8~~3	-			3·8	4·9	26
27							-	-			14·0	4·3	27
28							-	2·8			14·0	·5	28
29							-	16·3			2·3	-	29
30		X					-	-			1·5	16·3	30
31		X		X		X	18·0	-	X		X	1·8	31
Total							~~42·3~~	~~98·8~~			~~113·9~~	163·6	YEAR'S TOTAL
Rain Days.							add 6 to ~~42·3~~ 48·3	add to 97·6			add to 115·1	~~add to 163·6~~ ~~169·6~~	

↑ Correct ↑ Correct

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
25 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Douglas

in the ~~County of~~ Isle of Man

by Frank Cottle

Lat. 54°10' Long. 4°28' W

Time of Observation 9 a.m.

Nearest Railway Station Douglas

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mms.	mms.	mms.	mms.	mms.	mms.	mms.	mms.	mms.	mms.	mms.	mms.	
1	—	8·4	1·3	—	—	2·3	9·7	10·4	—	—	—	7·1	1
2	0·3	3·6	0·6	0·4	4·5	—	1·8	0·3	—	—	6·6	2·0	2
3	0·9	0·5	3·1	0·5	11·1	—	—	0·3	—	—	0·5	16·8	3
4	3·9	—	3·8	10·3	7·1	—	8·1	—	—	—	—	5·6	4
5	5·3	0·3	8·1	4·1	4·1	—	7·6	0·5	—	—	11·4	—	5
6	1·5	0·7	0·8	0·3	6·0	0·8	—	1·8	—	—	—	5·8	6
7	1·0	7·0	9·8	0·6	2·0	4·6	2·0	15·0	—	—	1·3	—	7
8	16·3	trace	1·0	0·9	17·8	3·8	2·5	9·0	1·3	—	1·3	5·6	8
9	7·7	4·3	4·3	0·8	4·1	4·3	—	—	—	—	8·1	—	9
10	2·6	4·7	1·3	0·3	2·5	—	—	1·3	3·8	—	1·0	—	10
11	—	3·5	22·5	—	1·3	—	—	—	2·0	—	2·8	5·6	11
12	—	11·9	11·7	0·4	2·3	—	0·3	—	10·9	1·0	3·8	1·3	12
13	—	2·2	7·0	1·3	—	—	7·1	—	4·6	0·3	1·3	9·4	13
14	—	3·0	3·9	—	—	—	—	—	—	—	12·5	3·3	14
15	—	0·5	7·7	—	—	—	—	—	0·5	—	0·3	1·8	15
16	—	—	0·8	—	—	—	—	—	16·5	—	—	1·5	16
17	—	12·5	8·1	—	—	—	4·8	—	4·9	0·6	—	13·2	17
18	—	2·5	1·6	—	—	—	1·3	—	0·5	—	do	5·8	18
19	—	0·4	2·5	—	—	0·3	1·5	—	4·8	—	0·8	3·8	19
20	—	13·2	6·0	—	—	6·4	—	—	—	—	—	3·6	20
21	—	5·6	—	—	—	—	—	0·3	—	0·4	—	3·8	21
22	—	14·1	1·2	0·8	1·0	0·8	—	5·3	—	—	1·3	—	22
23	0·4	0·3	6·4	0·6	—	—	0·8	1·9	—	—	1·0	—	23
24	15·2	—	2·0	2·8	5·1	—	5·3	0·5	—	—	8·6	—	24
25	0·6	—	0·7	—	—	—	0·5	31·9	—	34·5	10·9	36·8	25
26	—	0·8	—	—	—	0·5	1·3	—	—	3·6	3·8	7·9	26
27	3·3	1·3	—	—	—	—	—	—	—	1·2	17·0	4·3	27
28	1·2	0·5	9·2	—	4·8	—	—	2·8	1·0	1·9	17·0	0·5	28
29	6·4	X	8·1	—	0·8	—	—	16·3	—	—	2·3	—	29
30	0·5	X	5·4	0·3	—	—	—	—	—	—	1·5	15·3	30
31	3·6	X	1·1	X	0·3	X	18·0	—	X	5·1	X	1·8	31
Total	71·0	104·8	140·0	24·4	74·8	23·8	72·6	97·6	50·8	48·6	115·1	163·6	TOTAL
Rain Days.	17	~~24~~ 23	28	15	16	9	10	~~15~~	11	9	22	23	~~199~~ 204

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

Kept at Douglas

in the County of Isle of Man

by Frank Cottle

Lat. 54°10' Long. 4°28' W

Time of Observation 9 a.m.

Nearest Railway Station Douglas

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 284 ft.

FORM A. BRITISH RAINFALL. 25 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	8·4	1·3	—	—	2·3	9·7	10·4	—	—	—	7·1	1
2	0·3	3·6	0·6	0·4	4·5	—	1·8	0·3	—	—	6·6	2·0	2
3	0·9	0·5	3·1	0·5	11·1	—	—	0·3	—	—	0·5	16·8	3
4	3·9	—	3·8	10·3	7·1	—	8·1	—	—	—	—	5·6	4
5	5·3	0·3	8·1	4·1	4·1	—	7·6	0·5	—	—	11·4	—	5
6	1·5	0·7	0·8	0·3	6·0	0·8	—	1·8	—	—	—	5·8	6
7	1·0	7·0	9·8	0·6	2·0	4·6	2·0	15·0	—	—	1·3	—	7
8	16·3	trace	1·0	0·9	17·8	3·8	2·5	9·0	1·3	—	1·3	5·6	8
9	7·7	4·3	4·3	0·8	4·1	4·3	—	—	—	—	8·1	—	9
10	2·6	4·7	1·3	0·3	2·5	—	—	1·3	3·8	—	1·0	—	10
11	—	3·5	22·5	—	1·3	—	—	—	2·0	—	2·8	5·6	11
12	—	11·9	11·7	0·4	2·3	—	0·3	—	10·9	1·0	3·9	1·3	12
13	—	2·2	7·0	1·3	—	—	7·1	—	4·6	0·3	1·3	9·4	13
14	—	3·0	3·9	—	—	—	—	—	—	—	12·5	3·3	14
15	—	0·5	7·7	—	—	—	—	—	0·5	—	0·3	1·8	15
16	—	—	0·8	—	—	—	—	—	16·5	—	—	1·5	16
17	—	12·5	8·1	—	—	—	4·8	—	4·9	0·6	—	18·2	17
18	—	2·6	1·6	—	—	—	1·3	—	0·5	—	—	5·8	18
19	—	0·4	2·5	—	—	0·3	1·5	—	4·8	—	0·8	3·8	19
20	—	13·2	6·0	—	—	6·4	—	—	—	—	—	3·6	20
21	—	5·6	—	—	—	—	—	0·3	—	0·4	—	3·8	21
22	—	14·1	1·2	0·8	1·0	0·8	—	5·3	—	—	1·3	—	22
23	0·4	0·3	6·4	0·6	—	—	0·8	1·9	—	—	1·0	—	23
24	15·2	—	2·0	2·8	5·1	—	5·3	0·5	—	—	8·6	—	24
25	0·6	—	0·7	—	—	—	0·5	31·9	—	24·5	10·9	36·8	25
26	—	0·8	—	—	—	0·5	1·3	—	—	3·6	3·8	7·9	26
27	3·3	1·3	—	—	—	—	—	—	—	1·2	17·0	4·3	27
28	1·2	6·5	9·2	—	4·8	—	—	2·8	1·0	1·9	17·0	0·5	28
29	6·7	X	8·1	—	0·8	—	—	16·3	—	—	2·3	—	29
30	0·5	X	5·4	0·3	—	—	—	—	—	—	1·5	16·3	30
31	3·6	X	1·1	X	0·3	X	18·0	—	X	5·1	X	1·8	31
99 Total	71·0	109·9	140·0	24·4	74·8	23·8	72·6	97·6	50·8	48·6	115·1	163·6	990·1
Rain Days.	17	24	25	15	16	9	16	15	11	9	22	23	199

72·6 97·6 115·1 204

W. 6,000. 2. 14.

4382

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Douglas, Isle of Man. (Either)
in the [redacted] Isle of Man.
by A. W. Barron.
acting Borough Surveyor.

Lat. 54° 10' Long. 4° 28' W.
Time of Observation 9 a.m.
Nearest Railway Station Douglas.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	9·4	7·9	2·0	2·5	2·8	—	12·7	0·5	0·3	4·1	—	—	1
2	2·5	15·2	17·5	14·2	—	3·3	7·4	—	—	0·3	—	—	2
3	—	1·0	3·8	5·8	—	—	18·0	—	3·1	—	0·5	9·9	3
4	1·5	0·5	1·0	—	1·0	5·1	—	Trace	—	—	—	6·9	4
5	4·6	5·1	6·4	2·8	—	—	—	1·3	—	—	—	27·7	5
6	6·9	3·3	0·8	6·4	—	1·5	16·3	—	1·8	—	0·3	3·1	6
7	2·5	11·4	—	0·3	—	0·3	12·7	14·7	—	7·4	0·5	1·3	7
8	1·5	5·6	—	2·8	—	—	—	3·8	—	25·4	10·7	0·5	8
9	3·6	5·1	—	2·5	—	0·5	—	1·8	—	—	4·6	18·0	9
10	14·7	3·6	1·3	9·4	—	—	—	Trace	—	2·3	6·6	3·8	10
11	—	—	—	—	17·3	—	0·5	0·3	—	7·1	11·2	6·4	11
12	9·4	0·3	—	1·8	1·3	—	5·6	—	—	1·0	31·8	0·8	12
13	—	0·3	—	0·3	—	—	—	—	0·5	1·5	8·4	9·9	13
14	5·3	—	—	—	1·0	—	—	—	3·6	—	11·7	—	14
15	10·4	0·8	—	1·0	—	—	—	—	0·8	—	—	17·0	15
16	—	31·5	—	—	6·1	—	6·4	13·2	2·5	—	—	3·3	16
17	—	5·1	1·5	—	3·8	—	—	—	—	—	—	—	17
18	1·3	1·3	0·8	—	—	—	3·3	—	—	0·3	—	—	18
19	2·0	—	1·0	13·5	9·1	—	4·8	—	—	2·8	—	0·3	19
20	5·3	—	0·3	0·5	3·3	—	0·3	1·3	—	—	—	10·4	20
21	2·0	1·8	—	0·5	—	—	2·5	—	0·3	—	—	8·6	21
22	0·3	3·1	5·1	—	—	0·8	3·8	—	6·1	1·3	0·3	4·8	22
23	—	1·5	2·5	0·5	—	2·8	—	—	6·9	55·1	—	4·1	23
24	0·5	—	4·6	0·3	—	—	—	—	0·8	9·9	1·3	8·4	24
25	—	—	—	—	—	2·5	—	—	1·5	—	—	10·2	25
26	—	26·2	—	—	—	5·8	2·3	0·3	0·5	—	—	17·8	26
27	—	0·8	—	—	—	—	Trace	—	0·5	14·7	4·8	5·6	27
28	—	3·1	—	—	0·3	—	—	2·5	—	1·3	2·5	1·3	28
29	1·5	X	—	—	0·5	—	—	—	—	4·1	7·9	5·8	29
30	2·8	X	—	2·5	—	—	—	0·3	—	—	4·6	10·2	30
31	4·3	X	—	X	—	X	0·3	10·9	X	1·0	X	9·9	31
Total	92·3	134·5	48·6	67·6	46·5	22·6	96·9	50·9	29·2	139·6	107·7	206·0	YEAR'S TOTAL 1,042·4
Rain Days.	21	22	14	18	11	9	15	12	14	17	16	26	195

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915.

4382

FORM A. BRITISH RAINFALL 1915

Kept at Douglas, Isle of Man. Lat. 54°10' Long 4°28' W.

in the Isle of Man.

by A. W. Baron. Time of Observation 9 a.m.

Acting Borough Surveyor. Nearest Railway Station Douglas.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	9·4	7·9	2·0	2·5	2·8	—	12·7	0·5	0·8	4·1	—	—	1
2	2·5	15·2	17·5	14·2	—	3·3	7·4	—	—	0·2	—	—	2
3	—	1·0	3·8	5·8	—	—	18·0	—	3·1	—	0·5	9·9	3
4	1·5	0·5	1·0	[illegible]	1·0	5·1	—	[illegible]	—	—	—	6·9	4
5	4·6	5·1	6·4	2·8	—	—	—	1·3	—	—	—	27·7	5
6	6·9	3·3	0·8	6·4	—	1·5	16·3	—	1·8	—	0·3	3·1	6
7	2·8	11·4	—	0·3	—	0·3	12·7	14·7	—	7·4	0·5	1·3	7
8	1·8	5·6	—	2·8	—	—	—	3·8	—	25·4	10·7	0·5	8
9	3·6	5·1	—	2·5	—	0·5	—	1·8	—	—	4·6	18·0	9
10	14·7	3·6	1·3	9·4	—	—	—	[illegible]	—	2·3	6·6	3·8	10
11	—	—	—	—	17·3	—	0·5	0·3	—	7·1	11·2	6·4	11
12	9·4	0·3	—	1·8	1·3	—	5·6	—	—	1·0	31·8	0·8	12
13	—	0·3	—	0·3	—	—	—	—	0·5	1·5	8·4	9·9	13
14	5·3	—	—	—	1·0	—	—	—	3·6	—	11·7	—	14
15	10·4	0·8	—	1·0	—	—	—	—	0·8	—	—	17·0	15
16	—	31·5	—	—	6·1	—	6·4	13·2	2·5	—	—	3·3	16
17	—	5·1	1·5	—	3·8	—	—	—	—	—	—	—	17
18	1·3	1·3	0·8	—	—	—	3·3	—	—	0·3	—	—	18
19	2·0	—	1·0	13·5	9·1	—	4·8	—	—	2·8	—	0·3	19
20	5·3	—	0·3	0·5	3·3	—	0·3	1·3	—	—	—	10·4	20
21	2·0	1·8	—	0·5	—	—	2·5	—	0·3	—	—	8·6	21
22	0·3	3·1	6·1	—	—	0·8	3·8	—	6·1	1·3	0·3	4·8	22
23	—	1·6	2·5	0·5	—	2·8	—	—	6·9	55·1	—	4·1	23
24	0·5	—	4·6	0·3	—	—	—	—	0·8	9·9	1·3	8·4	24
25	—	—	—	—	—	2·5	—	—	1·5	—	—	10·2	25
26	—	26·2	—	—	—	5·8	2·3	0·3	0·5	—	—	17·8	26
27	—	0·8	—	—	—	—	[illegible]	—	0·5	14·7	4·8	5·6	27
28	—	3·1	—	—	0·3	—	—	2·5	—	1·3	2·5	1·3	28
29	1·5	[illegible]	—	—	0·5	—	—	—	—	4·1	7·9	5·8	29
30	2·8	[illegible]	—	2·5	—	—	—	0·3	—	—	4·6	10·2	30
31	4·2	[illegible]	—	[illegible]	—	[illegible]	0·3	10·9	[illegible]	1·0	[illegible]	9·9	31
Total	92·8	134·5	78·6	67·6	76·5	22·6	96·9	50·9	29·2	139·6	107·7	206·0	YEAR'S TOTAL 1012·4
Rain Days.	21	22	14	18	11	9	15	12	14	17	16	26	195

W. 6,000. X. 15.

4310

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 10 JAN 1917

Kept at Douglas

in the Isle of Man

by A. D. Barron.

Lat. 54° 10' Long. 4° 28' W

Time of Observation 9 a.m.

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 inch in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05	.18	.10	—	—	.23	.41	.16	—	.04	.02	—	1
2	.31	.03	.06	—	.10	—	—	—	.40	1.57	.11	.10	2
3	—	.13	—	.06	—	.40	—	—	.41	.41	.17	.10	3
4	.06	—	.04	.03	.19	.47	—	—	.01	.63	.57	—	4
5	.04	.28	.12	—	.74	—	.13	—	.11	.87	.06	—	5
6	.25	.08	—	—	.65	.04	.80	—	.01	.19	.31	.01	6
7	.31	.02	.01	—	.83	.01	.17	—	—	.19	.05	.11	7
8	.02	.02	.01	—	—	.02	.03	—	—	.04	.05	.04	8
9	.03	.04	.01	—	—	—	—	—	—	.04	.09	.15	9
10	.04	.12	—	.21	.09	—	.03	—	.01	.41	.14	.01	10
11	.10	.02	.04	.53	.50	—	.19	—	.04	.07	—	.03	11
12	.10	.16	.26	.02	.41	—	.18	.08	.02	.14	—	.02	12
13	—	.05	.11	.26	.03	—	—	.41	.02	.70	—	—	13
14	.03	.17	—	.14	.12	—	—	.07	.10	.07	—	—	14
15	—	.32	.37	.40	—	—	.09	.05	.03	.08	—	.04	15
16	.05	.07	—	.26	.02	—	.01	—	.02	.15	—	—	16
17	.18	.23	—	.30	—	—	—	—	.69	.39	—	.04	17
18	.08	.27	—	.45	—	—	—	—	.19	.04	.41	.66	18
19	.25	—	.25	.01	—	—	—	.27	—	.01	.36	.06	19
20	.27	—	.08	—	—	—	—	—	.01	—	.08	.58	20
21	.33	—	.02	.01	.03	.30	—	—	.09	—	.04	—	21
22	—	—	.02	—	—	.45	—	—	.03	.19	.01	.40	22
23	.12	—	.01	.28	.04	—	—	.16	—	.63	.48	.17	23
24	—	—	—	.28	.63	—	—	1.05	—	.05	.28	.03	24
25	—	—	.02	.15	.80	.48	—	1.27	—	.08	.27	.19	25
26	.09	—	.02	—	—	.21	—	—	.02	.09	.18	—	26
27	.01	.12	—	—	.03	.06	—	—	.21	.30	.05	.14	27
28	.10	—	—	—	—	—	—	—	—	.21	.03	.44	28
29	.06	.46	.02	—	—	.04	—	.05	—	.41	.64	.27	29
30	.04	X	—	—	—	.08	—	.04	—	.40	.33	.06	30
31	—	X	—	X	.65	X	—	.07	X	.02	X	.04	31
Total	2.98	3.27	1.57	3.39	5.86	2.79	2.06	3.68	2.47	8.39	4.75	3.74	YEAR'S TOTAL 44.95
Rain Days.	24	19	19	16	17	13	10	12	19	29	23	23	224

W. 8,000, VIII. 16

Section [A] for the entry of Daily Observations

Station No. 4415.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1916.

Kept at Douglas

in the County of Isle of Man.

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. in.

Height of ground above sea level 284 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
16	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	1·3	4·6	2·5	–	–	5·8	10·4	4·1	–	1·0	0·5	–		1
2	7·9	0·8	1·5	–	2·5	–	–	–	10·2	38·7	2·8	2·5		2
3	–	3·3	–	1·5	–	10·2	–	–	11·2	11·2	4·3	2·5		3
4	1·5	–	1·0	0·8	4·8	11·9	–	–	0·3	16·0	14·6	–		4
5	1·0	7·1	3·0	–	18·8	–	3·3	–	2·8	22·1	1·5	–		5
6	6·4	2·0	–	–	16·5	1·0	20·2	–	0·3	4·8	7·9	0·3		6
7	7·9	0·5	0·3	–	21·1	0·3	4·3	–	–	4·8	1·3	3·6		7
8	0·5	0·5	0·3	–	–	0·5	0·8	–	–	1·0	1·3	1·0		8
9	1·3	1·0	0·3	–	–	–	–	–	–	1·0	2·3	3·8		9
10	1·0	15·8	–	5·3	2·3	–	1·3	–	0·3	10·4	3·6	0·3		10
11	2·5	0·5	1·0	13·4	12·7	–	4·8	–	1·0	1·8	–	1·3		11
12	2·5	4·1	6·6	0·5	10·4	–	4·6	2·0	0·5	2·8	–	0·5		12
13	–	1·3	2·8	6·6	0·8	–	–	10·4	0·5	17·8	–	–		13
14	1·3	4·3	–	3·6	3·0	–	2·3	1·8	2·5	1·8	–	–		14
15	–	8·1	9·2	10·2	–	–	0·3	1·3	1·3	3·0	–	1·0		15
16	1·3	1·8	–	6·6	0·5	–	–	–	0·5	3·8	–	–		16
17	4·6	5·8	–	7·6	–	–	–	–	1·3	9·9	–	1·0		17
18	2·0	6·9	–	11·4	–	–	–	–	4·8	1·0	16·4	16·7		18
19	6·4		6·6	0·3	–	–	–	6·9	–	0·3	9·1	1·5		19
20	6·8		2·0	–	–	–	–	–	0·3	–	2·0	14·7		20
21	8·9		0·5	0·3	0·8	7·6	–	–	2·3	–	1·0	–		21
22	–		0·5	–	–	11·5	–	–	0·8	4·8	12·2	10·2		22
23	3·0		0·3	7·1	1·0	–	–	4·1	–	16·5	7·1	4·3		23
24	–		–	7·1	16·0	–	–	26·6	–	1·3	6·9	0·8		24
25	–		0·5	3·8	20·2	12·3	–	32·3	–	2·0	4·6	4·8		25
26	2·3		0·5	–	–	5·3	–	–	0·5	2·3	1·3	–		26
27	0·3	3·0	–	–	0·8	1·5	–	–	5·3	7·6	1·3	3·6		27
28	2·5	–	–	–	–	–	–	–	–	5·3	16·3	11·2		28
29	1·5	11·7	0·5	–	–	1·0	–	1·3	–	10·4	8·4	6·9		29
30	1·0	X	–	–	–	2·0	–	1·0	–	10·2	–	1·5		30
31	–	X	–	X	16·5	X	–	1·8	X	0·5	X	1·0.		31
TOTAL 99	75·7	83·1	39·9	86·1	148·7	70·9	52·3	93·5	62·7	213·1	120·7	95·0	Year's total	1,141·7
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).....

(P.T.O.)

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Douglas.

in the County of Isle of man.

by A. D. Barron.

Lat. 54° 10' Long. 4° 28' W.

Time of Observation 9

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 12 Inches in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·5	—	1·3	—	—	0·3	—	—	3·3	—	1·8	7·1	1
2	4·6	—	0·5	0·5	—	—	—	—	—	0·5	8·1	8·9	2
3	1·8	1·8	—	1·3	—	4·6	—	—	0·3	9·4	0·5	3·6	3
4	2·8	1·3	1·3	0·3	—	0·3	—	—	—	4·8	5·6	10·7	4
5	10·7	—	7·4	2·5	—	—	—	—	0·3	6·9	9·7	4·8	5
6	0·3	—	0·3	—	—	1·3	—	—	—	23·6	3·3	4·1	6
7	29·2	—	—	0·8	—	4·6	—	3·3	—	2·0	8·4	1·8	7
8	—	—	—	5·1	—	—	—	12·7	1·5	20·6	5·6	2·6	8
9	—	—	3·8	2·5	6·1	—	—	8·9	—	6·4	7·6	—	9
10	4·6	—	18·5	12·7	1·0	—	—	4·8	0·3	—	—	—	10
11	8·4	4·1	—	2·0	2·0	—	—	10·4	0·3	1·0	4·3	—	11
12	2·0	—	1·3	1·0	26·2	—	—	0·5	4·3	13·2	—	2·5	12
13	—	—	—	1·8	0·8	—	—	13·2	14·2	6·6	1·8	4·3	13
14	—	—	—	1·8	7·6	—	—	—	—	1·9	—	0·3	14
15	1·8	—	—	6·9	0·5	1·3	—	1·3	9·4	4·3	—	14·0	15
16	—	0·5	—	5·6	—	—	—	11·2	0·8	10·4	—	8·9	16
17	—	3·6	0·8	8·4	2·8	—	11·4	8·9	6·9	9·0	0·3	—	17
18	—	0·3	3·1	1·0	4·3	—	22·9	5·3	1·8	0·5	—	1·3	18
19	0·3	33·3	3·1	—	2·8	—	—	2·8	1·5	1·0	0·5	4·8	19
20	0·5	6·6	—	—	3·6	10·9	—	0·8	1·5	·15	16·3	17·8	20
21	—	—	1·0	—	12·2	0·3	—	1·5	6·9	3·7	0·5	—	21
22	—	7·9	—	—	0·0	—	—	17·8	1·0	0·3	0·3	—	22
23	—	2·5	—	—	3·6	4·1	—	5·3	2·3	9·8	1·3	—	23
24	—	0·5	—	—	0·5	0·3	3·3	1·5	0·3	16·8	4·1	1·5	24
25	—	2·8	1·3	—	0·3	—	—	8·1	6·4	3·8	1·3	—	25
26	—	—	—	—	6·4	8·4	—	0·8	6·4	3·1	19·1	1·0	26
27	—	0·3	2·8	—	16·5	—	4·1	35·6	—	2·5	0·3	—	27
28	—	0·3	4·6	—	0·0	—	0·3	10·7	—	0·3	0·3	—	28
29	—	X	3·3	—	—	—	—	—	—	19·8	—	—	29
30	—	X	0·5	—	0·5	—	—	—	—	0·8	2·5	—	30
31	—	X	0·3	X	7·6	X	2·8	13·5	X	—	X	—	31
Total	~~30·5~~ ~~31·7~~	65·8	~~55·2~~ 56·2	54·2	~~105·3~~ ~~95·3~~	39·4	44·8	178·9	69·4	~~183·2~~ ~~184·15~~	103·5	99·9	~~TOTAL~~ ~~871·05~~
Rain Days.	13	14	18	16	19	11	6	22	20	28	23	18	208

2·78 2·59 2·17 2·13 4·15 1·55 1·46 7·04 2·74 7·22 4·08 3·93 42·14

W. 8,000, IX. 17.

Section [A] for the entry of Daily Observations

Station No. 4415

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~17

Kept at Douglas

in the County of Isle of Man

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
17	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	–	1·3	–	–	0·3	–	–	3·3	–	1·8	7·1		1
2	4·6	–	0·5	0·5	–	–	–	–	–	0·5	8·1	8·9		2
3	1·8	1·8	–	1·3	–	7·6	–	–	0·3	9·4	0·5	3·6		3
4	2·8	1·3	1·3	0·3	–	0·3	–	–	–	4·8	5·6	10·7		4
5	10·7	–	7·4	2·5	–	–	–	–	0·3	6·9	9·7	4·8		5
6	0·3	–	0·3	–	–	1·3	–	–	–	23·6	3·3	4·1		6
7	29·2	–	–	0·8	–	4·6	–	3·3	–	2·0	8·4	1·8		7
8	–	–	–	5·1	–	–	–	12·7	1·5	20·6	5·6	2·5		8
9	–	–	3·8	2·5	0·1	–	–	8·9	–	6·4	7·6	–		9
10	7·6	–	18·5	12·7	1·0	–	–	4·8	0·3	–	–	–		10
11	8·4	4·1	–	2·0	2·0	–	–	10·4	0·3	1·0	4·3	–		11
12	2·0		1·3	1·0	26·2	–	–	0·5	4·3	13·2	–	2·5		12
13	–		–	1·8	0·8	–	–	13·2	14·2	6·6	1·8	4·3		13
14	–		–	1·8	7·6	–	–	–	–	1·9	–	0·3		14
15	1·8		–	6·9	0·5	1·3	–	1·3	9·4	4·3	–	14·0		15
16	–	0·5	–	5·6	–	–	–	11·2	0·8	10·4	–	8·9		16
17	–	3·6	0·8	8·4	2·8	–	11·4	8·9	6·9	9·0	0·3	–		17
18	–	0·3	3·1	1·0	4·3	–	22·9	5·3	1·8	0·5	–	1·3		18
19	0·3	33·3	3·1	–	2·8	–	–	2·8	1·5	1·0	0·5	4·8		19
20	0·5	6·6	–	–	3·6	10·9	–	0·8	1·5	0·2	16·3	17·8		20
21	–	–	1·0	–	12·2	0·3	–	1·5	6·9	3·7	0·5	–		21
22	–	7·9	–	–	–	–	–	17·8	1·0	0·3	0·3	–		22
23	–	2·5	–	–	3·6	4·1	–	5·3	2·3	9·8	1·3	–		23
24	–	0·5	–	–	0·5	0·3	3·3	1·5	0·3	16·8	4·1	1·5		24
25	–	2·8	1·3	–	0·3	–	–	8·1	6·4	3·8	1·3	–		25
26	–	–	–	–	6·4	8·4	–	0·8	6·4	3·1	19·1	1·0		26
27	–	0·3	2·8	–	16·5	–	4·1	35·6	–	2·5	0·3	–		27
28	–	0·3	4·6	–	–	–	0·3	10·7	–	0·3	0·3	–		28
29	–	X	3·3	–	–	–	–	–	–	19·8	–	–		29
30	–	X	0·5	–	0·5	–	–	–	–	0·8	2·5	–		30
31	–	X	0·3	X	7·6	X	2·8	13·5	X	–	X	–		31
TOTAL 99	70·5	65·8	55·2	54·2	105·3	39·4	44·8	178·9	69·7	183·2	103·5	99·9	Year's total 1070·4	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Cert'y copy rec'd 27.1.15 by sum. stats.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Douglas.

in the [redacted] Isle of Man.

by H. A. Bridge

Lat. 40' 20" W Long. 54° 10' 12 6 5.19

Time of Observation 9 AM.

Nearest Railway Station Douglas.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 284. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. .04 inches

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.30	-	.03	.01	-	-	.08	.17	.07	.55	.33	1
2	-	.06	-	-	-	-	-	-	.07	.56	.24	.73	2
3	-	.04	-	-	.83	-	-	.01	-	1.05	.27	.11	3
4	-	.06	-	-	.01	-	-	.01	.24	-	.70	.25	4
5	-	.09	-	.24	.04	-	-	.81	-	.35	-	.14	5
6	.01	.40	-	.09	.01	.13	-	-	.01	.40	-	.05	6
7	.17	.03	-	.01	.11	-	.11	.04	.09	.04	.23	.37	7
8	.09	-	-	.04	-	.13	.31	.01	.07	.86	.17	.07	8
9	.04	.41	.13	.16	-	.48	-	-	.33	.26	-	.15	9
10	.04	.47	.15	.40	-	-	.36	-	.08	.17	.27	.18	10
11	.04	.13	.07	-	.06	-	.09	.01	.07	-	-	.25	11
12	.05	.47	-	.20	.10	.01	-	-	.06	-	-	.08	12
13	.18	-	-	.07	.01	-	-	-	.48	.34	-	.01	13
14	.35	-	-	-	.01	.14	.40	.01	.15	.01	-	.15	14
15	-	-	-	-	.07	.07	.57	-	4.68	.11	-	.25	15
16	.03	.41	-	-	-	.07	.04	.15	.37	.13	-	.11	16
17	.64	.30	-	-	-	.11	.03	.08	.07	.07	-	.40	17
18	.50	.75	.28	-	-	.31	.01	-	-	.03	-	.33	18
19	.57	.14	.11	.53	-	.07	.04	.09	.13	.01	-	1.30	19
20	.75	.19	-	.04	.05	.23	.61	-	.31	-	-	.61	20
21	.37	.06	-	-	-	.10	.18	-	.87	-	-	.03	21
22	.25	-	-	-	.75	.06	.26	03	.18	-	-	.34	22
23	.24	.07	-	-	.55	-	.07	-	.16	.01	.11	-	23
24	.07	.14	-	-	-	.07	.07	.17	.17	.05	.39	.14	24
25	.06	-	-	-	.30	-	.07	.13	.50	-	.24	-	25
26	.04	.16	-	-	-	-	-	.13	.20	.08	.09	.07	26
27	.02	.19	.36	-	-	.07	-	.40	.09	.07	.25	.50	27
28	-	.30	.19	-	-	-	-	-	-	-	.55	.60	28
29	.03	-	.34	-	-	-	-	.01	.11	.09	-	.17	29
30	-	X	.23	-	-	-	-	-	.05	.07	.37	.27	30
31	-	X	.11	X	-	X	-	.08	X	.41	X	.34	31
Total	4.48	5.12	2.02	1.76	2.86	1.90	~~3.12~~ 4.12	~~2.14~~ 2.24	9.61	5.14	4.33	8.23	YEAR'S TOTAL ~~51.81~~
Rain Days.	22	22	10	11	15	15	16	18	26	23	17	29	~~222~~

All in Inches.

50.71 221

W. 6,500. VII. 18. w w c

Cov. by copy rec'd 26.5.19 & by surv. stats

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27.1.19

Kept at Douglas

in the [redacted] Isle of Man.

by A D Barron, Esq.

Lat. 54° 10' Long. 4° 28' W

Time of Observation 9 hm

Nearest Railway Station 2 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·45·

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	36	–	·03	·01	–	–	·02	·17	·07 ·56	·55	·33	1
2	–	06	–	–	–	–	–	–	·02	1·06	·24	·73	2
3	–	·04	–	–	·83	–	–	·01	–	–	·22	·11	3
4	~~·02~~	·06	–	–	·01	–	–	·01	·24	·35	70	·25	4
5	–	·09	–	·24	·04	–	–	·81	. –	·40	–	·14	5
6	01	·40	–	·09 ~~·36~~	·03	·13	–	. –	·01	·04	–	05	6
7	~~07~~	·03	–	·01	·01	. –	–	·04	·09	·86	·23	·32	7
8	·09	–	–	·04	–	·13	·11	·01	·07	·26	·17	·02	8
9	·04	·41	–	·06	–	·48	·31	–	·33	·12 ·07	–	·15	9
10	·04	·47	·13	·40	–	–	–	–	·08 ·88	–	·22	·18	10
11	·04	·13	·15	–	·06	–	·36	·01	·09	–	–	·25	11
12	·05	·11	07	·20	·10	·01	·09	–	·06	–	–	·08	12
13	·18	–	–	·02	·01	–	–	–	·48 ~~·06~~	–	–	·61	13
14	·35	–	–	~~·20~~	·01	·14	–	·01	~~·15~~ ·07	·34	–	·15	14
15	–	–	–	–	·02	·07 ~~·02~~	·40	–	4·68 ~~4·01~~	·01	–	·75	15
16	·03	·41	–	–	–	02	·52	·15	·37	·11	–	·11	16
17	·64	·30	–	–	–	·11	·04	·08	·09	·13	–	·40	17
18	·50	·75	–	–	–	·31	·03	–	–	·07	–	·33	18
19	·57	·14	28	–	–	·02	·01	·09	·13 ~~·73~~	·03	–	·130	19
20	·75	·19	·41	·53	–	·23 ~~·01~~	·04	–	·31	·09	–	·61	20
21	·32	·06	–	·04	·05	·10	·61	–	·87	–	–	·03	21
22	·25	–	–	–	–	96	·18	·03	·68	–	–	·34	22
23	·24	·02	–	–	·75	–	·26	–	·16	–	–	–	23
24	·07	·14	–	–	·55	·02	·07	12	·12	·01	·11	1·14	24
25	·06	–	–	–	–	–	·02	13	·50	·05	·39	–	25
26	·02	·16	–	–	·30	–	·07	13	·20	–	·24	·07	26
27	~~·02~~	·14	–	–	–	·07	–	·40	·09	·08	·09	·50	27
28	·02	30	·36	–	–	–	–	–	–	·02	~~·25~~	·07	28
29	–	–	·14	–	–	–	–	·01	·11	–	·55	·27	29
30	–		·34	–	–	–	–	–	·05	·09	–	·34	30
31	~~·30~~		~~·32~~		–		–	·08		·07	~~·57~~	tt	31
Total	~~4·48~~ 115·5	5·12 130·0	·16 ~~2·83~~ 51·2	1·76 44·9	2·86 72·9	1·90 48·3	~~3·12~~ 82·1	2·14 54·7	9·61 252·8	~~5·14~~ 134·6	4·33 110·1	8·23 240·4	YEAR'S TOTAL 1352·3
Rain Days.	~~22 23~~	22	~~9 10~~	~~12 11~~	15	15	16	18	26	23	~~13 14~~	~~28 29~~	~~218~~

W. 6,500, VII. 18. w w c

50·71
221 ~~259~~

Section | A | for the entry of Daily Observations

Station No. 4415

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1918.

Kept at Douglas

in the County of Isle of Man.

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. in.

Height of ground above sea level 284 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
18	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	–	7·6	–	0·8	0·3	–	–	0·5	4·3	1·8	13·7	8·4		1
2	–	1·5	–	–	–	–	–	–	0·5	14·2	6·1	18·5		2
3	–	1·0	–	–	21·0	–	–	0·3	–	26·6	5·6	2·8		3
4	–	1·5	–	–	0·3	–	–	0·3	6·1	–	17·9	6·4		4
5	–	2·3	–	6·1	1·0	–	–	20·4	–	8·9	–	3·6		5
6	0·3	10·2	–	2·3	0·3	3·3	–	–	0·3	10·2	–	1·3		6
7	4·3	0·8	–	0·3	2·8	–	2·8	1·0	2·3	1·0	5·8	8·1		7
8	2·3	–	–	1·0	–	3·3	7·8	0·3	1·8	21·8	4·3	0·5		8
9	1·0	10·3	3·3	4·1	–	12·2	–	–	8·4	6·6	–	3·8		9
10	1·0	11·8	3·8	10·1	–	–	9·1	–	2·0	3·0	5·6	4·6		10
11	1·0	3·3	1·8	–	1·5	–	2·3	0·3	1·8	–	–	6·4		11
12	1·3	11·9	–	5·1	2·5	0·3	–	–	1·5	–	–	2·0		12
13	4·6	–	–	0·5	0·3	–	–	–	12·2	8·6	–	0·3		13
14	8·9	–	–	–	0·3	3·6	10·1	0·3	3·8	0·3	–	3·8		14
15	–	–	–	–	0·5	1·8	13·2	–	118·7	2·8	–	6·4		15
16	0·8	10·3	–	–	–	0·5	1·0	3·8	9·4	3·3	–	2·8		16
17	16·2	7·6	–	–	–	2·8	0·8	2·0	1·8	1·8	–	10·2		17
18	12·7	14·1	7·1	–	–	7·9	0·3	–	–	0·8	–	8·4		18
19	14·5	3·6	2·8	13·4	–	0·5	1·0	2·3	3·3	0·3	–	32·9		19
20	19·0	4·8	–	1·0	1·3	5·8	15·5	–	7·9	–	–	15·5		20
21	8·1	1·5	–	–	–	2·5	4·6	–	22·0	–	–	0·8		21
22	6·3	–	–	–	19·0	1·5	6·6	0·8	4·6	–	–	8·6		22
23	6·1	0·5	–	–	13·9	–	1·8	–	4·1	0·3	2·8	–		23
24	1·8	3·6	–	–	–	0·5	0·5	3·0	3·0	1·3	9·9	3·6		24
25	1·5	–	–	–	7·6	–	1·8	3·3	12·7	–	6·1	–		25
26	1·0	4·1	–	–	–	–	–	3·3	5·1	2·0	2·3	1·8		26
27	0·5	4·8	9·2	–	–	1·8	–	10·2	2·3	0·5	6·4	12·6		27
28	–	7·9	4·8	–	–	–	–	–	–	–	14·1	15·1		28
29	0·5	X	8·6	–	–	–	–	0·3	2·8	2·3	–	4·3		29
30	–	X	5·8	–	–	–	–	–	1·3	1·8	9·4	6·9		30
31	–	X	4·1	X	–	X	–	2·0	X	10·4	X	8·6		31
TOTAL 99	113·7	130·0	51·3	44·7	72·6	48·3	79·2	54·4	244·0	130·6	110·0	209·0	Year's total 1128·8	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).....(P.T.O.)

castletown

3932

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 JAN 19

Kept at Douglas.

~~in the County of~~ Isle of Man.

by W. J. Wadd, Govt Surveyor

Lat. 54° 10' Long. 40° 28 N.

Time of Observation 9am.

Nearest Railway Station Douglas.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	–	.07	–	.35	–	.05	–	1.13	.18	.03	.29	1
2	.28	–	.15	–	.01	–	.02	–	–	–	.01	.13	2
3	.20	.31	–	–	.24	.05	.02	.20	–	–	–	.10	3
4	.07	–	.03	–	.03	.02	.10	.10	.53	–	.06	.22	4
5	.01	–	–	–	.01	–	–	–	–	.06	–	.36	5
6	.05	.01	.57	.03	.05	–	–	–	.03	.02	–	.04	6
7	.13	.03	.06	.24	–	.06	–	.03	–	–	–	–	7
8	.27	–	.09	–	–	.04	–	.07	–	–	.05	.01	8
9	.74	–	.38	.25	–	.02	–	–	–	–	.02	.04	9
10	.32	–	.07	.19	.08	.10	–	–	–	.08	–	1.14	10
11	.23	–	.11	.07	.05	.05	.12	–	.27	.05	.02	.17	11
12	–	.06	–	.02	.10	.87	–	–	.27	.50	.05	.14	12
13	.40	.01	–	.24	–	–	.08	.08	.06	.27	.01	.18	13
14	.15	.02	–	.05	–	–	.04	–	–	.35	.02	.25	14
15	.24	.20	–	.05	~~.75~~ .57	–	–	.05	–	.04	–	.20	15
16	.04	.08	–	.05	–	.09	.01	–	–	–	.55	.28	16
17	–	–	.01	.05	.13	–	–	.32	–	–	.70	–	17
18	.08	–	1.72	–	.04	.29	.24	.28	.11	–	.05	.24	18
19	.29	.47	.64	–	–	.18	.01	–	.24	–	.06	.08	19
20	.20	.11	.03	–	.31	.07	–	.01	–	–	.35	.25	20
21	–	.21	–	–	.05	–	.02	.02	.17	–	.04	.03	21
22	.01	.08	–	–	–	.10	–	–	.27	.35	.02	.79	22
23	.15	–	–	.05	–	.27	–	–	.02	1.36	.18	–	~~23~~
24	.39	–	–	–	.25	.02	–	.10	.06	.14	.22	.12	24
25	.24	–	–	.22	–	–	–	.80	.25	–	.20	–	25
26	.06	–	.34	.05	–	.06	–	.30	.12	–	–	.84	26
27	.15	–	.03	.33	–	.01	–	–	–	–	–	–	27
28	–	–	.03	.24	–	.03	–	.72	.06	–	–	.62	28
29	.11	X	.13	.11	–	–	–	.02	.18	–	–	.06	29
30	–	X	.25	.06	–	.68	–	.09	–	.01	.26	.67	30
31	–	X	–	X	–	X	.08	.44	X	.02	X	.05	31
TOTAL	5.26	1.59	4.71	2.30	~~2.27~~ 2.22	~~3.01~~ 3.11	.79	3.63	3.77	3.43	2.90	7.25	~~41.16~~ 40.98 Inches Total.
Days with .01 in. or more	25	12	18	18	15	19	12	17	16	14	20	26	212

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ht RN and formerly Hgt A

3932

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Douglas. I.O.M [MO]

in the County of Isle of Man

by The Borough Surveyor

Lat. 54° 10′ N Long. 4° 28′ W.
Time of Observation 9h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 284 ft.

9 MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·4	-	1·8	-	8·9	-	1·3	-	28·7	4·6	0·8	7·4	1
2	7·1	-	3·8	-	0·3	-	0·5	-	-	-	0·3	3·3	2
3	5·1	7·9	-	-	6·1	1·3	0·5	5·1	-	-	-	2·5	3
4	1·8	-	0·8	-	0·8	0·5	2·5	2·5	13·5	-	1·5	5·6	4
5	0·3	-	-	-	0·3	-	-	-	-	1·5	-	9·1	5
6	1·3	0·3	14·5	0·8	1·3	-	-	-	0·8	0·5	-	1·0	6
7	3·3	0·8	1·5	6·1	-	1·5	-	0·8	-	-	-	-	7
8	6·9	-	2·3	-	-	1·0	-	1·8	-	-	1·3	0·3	8
9	18·8	-	9·7	6·4	-	0·5	-	-	-	-	0·5	1·0	9
10	8·1	-	1·8	4·8	2·0	2·5	-	-	-	2·0	-	29·0	10
11	5·8	-	2·8	1·8	1·3	1·3	3·1	-	6·9	1·3	0·5	4·3	11
12	-	1·5	-	0·5	2·5	22·1	-	-	6·9	12·7	1·3	3·6	12
13	10·2	0·3	-	6·1	-	-	2·0	2·0	1·5	6·9	0·3	3·3	13
14	3·8	0·5	-	1·3	-	-	1·0	-	-	8·9	0·5	6·4	14
15	6·1	5·1	-	1·3	14·5	-	-	1·3	-	1·0	-	5·1	15
16	1·0	2·0	-	1·3	-	2·3	0·3	-	-	-	14·0	7·1	16
17	-	-	0·3	1·3	3·3	-	-	8·1	-	-	17·8	-	17
18	2·0	-	43·7	-	1·0	7·4	6·1	7·1	2·8	-	1·3	6·1	18
19	7·4	12·5	16·3	-	-	4·6	0·3	-	6·1	-	1·5	2·0	19
20	5·1	2·8	0·8	-	7·9	1·8	-	0·3	-	-	8·9	6·4	20
21	-	5·3	-	-	1·3	-	0·5	0·5	4·3	-	1·0	0·8	21
22	0·3	0·8	-	-	-	2·5	-	-	6·9	8·9	0·5	20·1	22
23	3·8	-	-	1·3	-	6·9	-	-	0·5	34·5	4·6	-	23
24	9·9	-	-	-	6·4	0·5	-	2·5	1·5	3·6	5·6	3·1	24
25	6·1	-	-	5·6	-	-	-	20·3	6·4	-	5·1	-	25
26	1·5	-	8·6	1·3	-	1·5	-	7·6	3·1	-	-	21·3	26
27	3·8	-	0·8	8·4	-	0·3	-	-	-	-	-	-	27
28	-	-	0·8	6·1	-	0·8	-	18·3	1·5	-	-	15·8	28
29	2·8		3·3	2·8	-	-	-	0·5	4·6	-	-	1·5	29
30	-		6·4	1·5	-	17·3	-	2·3	-	0·3	6·6	17·0	30
31	-		-		-		2·0	11·2		0·5		1·3	31
TOTAL	139·7	39·8	120·0	58·7	57·9	76·6	20·1	92·2	96·0	87·2 (832)	73·9	184·4	1040·5 (1036·5)
Days with 0·2 mm. or more	25	12	18	18	15	19	12	17	16	14	20	26	212

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.8

Copied from 1921 8202 2·24

99 03 3·78 3·43 2·91 7·24 44·97

ection | A | for the entry of Daily Observations

Station No. 4415

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1919.

Kept at Douglas

in the County of Isle of Man.

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. — in.

Height of ground above sea level 284 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date 19	Jan. in. mm	Feb. in. mm	Mar. in. mm	April in. mm	May in. mm	June in. mm	July in. mm	Aug. in. mm	Sept. in. mm	Oct. in. mm	Nov. in. mm	Dec. in. mm	†	Date
1	11.4	–	1.8	–	8.9	–	1.3	–	28.6	4.6	0.8	7.4		1
2	7.1	–	3.8	–	0.3	–	0.5	–	–	–	0.3	3.3		2
3	5.1	1.9	–	–	6.1	1.3	0.5	6.1	–	–	–	2.5		3
4	1.8	–	0.8	–	0.8	0.5	2.5	2.5	13.5	–	1.5	5.6		4
5	0.3	–	–	–	0.3	–	–	–	–	1.5	–	9.1		5
6	1.3	0.3	14.3	0.8	1.3	–	–	–	0.8	0.5	–	1.0		6
7	3.3	0.8	1.5	6.0	–	1.5	–	0.8	–	–	–	–		7
8	6.9	–	2.3	–	–	1.0	–	1.8	–	–	1.3	0.3		8
9	18.6	–	9.7	6.3	–	0.5	–	–	–	–	0.5	1.0		9
10	8.1	–	1.8	4.8	2.0	2.5	–	–	–	2.0	0.5	28.9		10
11	5.8	–	2.8	1.8	1.3	1.3	3.0	–	6.9	1.3	–	4.3		11
12	–	1.5	–	0.5	2.5	22.1	–	–	6.9	12.7	1.3	3.6		12
13	10.2	0.3	–	6.1	–	–	2.0	2.0	1.5	6.9	0.3	3.3		13
14	3.8	0.5	–	1.3	–	–	1.0	–	–	8.9	0.5	6.4		14
15	6.1	5.1	–	1.3	14.4	–	–	1.3	–	1.0	–	5.1		15
16	1.0	2.0	–	1.3	3.3	2.3	0.3	–	–	–	14.0	7.1		16
17	–	–	0.3	1.3	–	–	–	8.1	–	–	1.7.6	–		17
18	2.0	–	4.3.5	–	1.0	7.4	6.2	7.1	2.8	–	1.3	6.1		18
19	7.4	11.9	16.3	–	–	4.6	0.3	–	6.1	–	1.5	2.0		19
20	5.1	2.8	0.8	–	7.8	1.8	–	0.3	–	–	8.9	6.4		20
21	–	5.3	–	–	1.3	–	0.5	0.5	4.3	–	1.0	0.8		21
22	0.3	2.0	–	–	–	2.8	–	–	6.9	8.4	0.5	20.1		22
23	3.8	–	–	1.3	–	6.9	–	–	0.5	3.4.4	4.6	–		23
24	9.9	–	–	–	6.4	0.5	–	2.5	1.5	3.6	5.6	3.0		24
25	6.1	–	–	5.6	–	–	–	20.3	6.4	–	5.1	–		25
26	1.5	–	8.6	1.3	–	1.5	–	7.6	3.0	–	–	21.3		26
27	3.8	–	0.8	8.4	–	0.3	–	–	–	–	–	15.7		27
28	–	–	0.8	6.0	–	0.8	–	18.3	1.5	–	–	1.5		28
29	2.8	X	3.3	2.8	–	–	–	0.5	4.6	–	–	17.0		29
30	–	X	6.4	1.5	–	1.7.2	–	2.3	–	0.3	6.6	1.3		30
31	–	X	–	X	–	X	2.0	11.2	X	0.5	X	–		31
TOTAL 99	133.5	40.4	119.6	58.4	57.7	76.5	20.1	92.2	95.8	87.1	73.7	184.1	Year's total 1039.1	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).....(P.T.O.)

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Douglas (Mo)

in the ~~County of~~ Isle of Man

by The Borough Surveyor

Lat. 54° 10' N Long. 4° 28' W.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 277 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	9.7	4.6	16.8	-	10.7	0.5	8.9	11.7	0.3	16.8	1
2	2.3	-	-	0.8	-	-	6.9	0.3	7.6	-	-	22.6	2
3	0.8	2.0	-	0.8	0.5	-	-	2.0	7.6	6.4	1.5	6.1	3
4	-	-	0.3	-	12.7	-	1.5	33.8	1.8	14.2	1.3	-	4
5	-	-	2.0	-	9.7	-	1.3	1.3	7.9	9.9	-	-	5
6	0.8	-	7.6	12.7	4.8	-	1.3	-	-	13.2	-	1.3	6
7	0.8	4.3	0.8	0.8	0.5	-	3.3	22.9	0.5	0.3	1.3	-	7
8	-	3.8	0.3	2.8	2.3	-	13.7	7.1	0.5	-	4.6	0.3	8
9	8.6	5.6	1.3	7.9	0.5	-	11.7	0.3	8.4	-	0.5	-	9
10	16.3	3.8	1.3	2.0	-	-	1.0	-	-	-	-	1.0	10
11	1.5	-	4.6	3.6	11.4	19.1	3.8	-	0.8	-	-	0.3	11
12	11.2	6.1	2.8	14.2	0.5	18.3	4.1	-	-	-	12.5	1.8	12
13	3.6	1.0	5.8	3.6	0.8	3.8	-	-	-	0.8	1.3	5.1	13
14	9.4	9.4	-	9.1	-	2.5	6.9	-	8.9	0.8	13.2	0.5	14
15	0.8	5.6	1.0	3.1	-	-	-	-	2.5	7.1	0.3	-	15
16	0.5	0.5	4.1	-	2.8	2.3	9.9	0.5	14.0	-	1.3	-	16
17	1.0	-	1.0	-	7.6	0.5	1.0	14.7	1.5	-	-	-	17
18	5.8	1.0	-	1.0	9.9	-	-	14.2	1.3	-	-	-	18
19	0.5	5.1	-	2.8	0.8	18.5	1.0	-	0.5	-	-	2.0	19
20	2.5	-	-	8.4	-	-	0.3	-	0.8	4.1	-	5.8	20
21	0.5	-	-	8.4	-	0.3	1.8	-	-	2.5	-	5.3	21
22	3.6	-	-	3.1	0.8	-	7.6		-	-	-	-	22
23	16.8	-	4.1	5.1	0.3	-	1.3	11.2	-	-	-	4.3	23
24	1.5	-	18.8	-	-	1.5	0.3	0.3	-	-	2.0	6.6	24
25	10.7	1.5	10.7	5.1	-	0.5	15.2	0.5	0.3	-	2.8	0.5	25
26	1.3	0.8	4.6	5.6	1.3	-	0.5	-	-	-	7.9	1.0	26
27	1.5	0.3	10.7	0.3	1.3	15.8	7.6	-	-	-	9.7	-	27
28	-	1.5	0.5	2.3	-	5.6	1.3	-	-	-	1.0	8.9	28
29	5.8	3.1	-	0.5	0.3	0.5	4.8	-	-	-	9.9	15.0	29
30	6.1		6.1	-	0.8	0.3	0.3	-	16.8	4.6	10.2	20.8	30
31	1.3		7.9		3.6		1.3	0.3		24.1		0.8	31
TOTAL	118.5	55.4	106.0	108.6	90.0	89.5	120.4	109.9	90.6	99.7	81.6	126.8	YEAR'S TOTAL 1191.0
Days with 0.2 mm. or more	26	17	22	24	22	14	27	15	18	13	18	21	237

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.V.

4 13 20 14 1 20 19 23 8 12 10 15 16 177

Section [A] for the entry of Daily Observations

Station No. 4415

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at Douglas

in the County of Isle of Man

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
20	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	in.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	–	–	9·7	4·6	16·8	–	10·7	0·5	8·9	11·7	0·3	16·8		1
2	2·3	–	–	0·8	–	–	6·9	0·3	7·6	–	–	22·6		2
3	0·8	2·0	–	0·8	0·5	–	–	2·0	7·6	6·4	1·5	6·1		3
4	–	–	0·3	–	12·7	–	1·5	33·8	1·8	14·2	1·3	–		4
5	–	–	2·0	–	9·7	–	1·3	1·3	7·9	9·9	–	–		5
6	0·8	–	7·6	12·7	4·8	–	1·3	–	–	13·2	–	1·3		6
7	3·8	4·3	0·8	0·8	0·5	–	3·3	22·9	0·5	0·3	1·3	–		7
8	–	3·8	0·3	2·8	2·3	–	13·7	7·1	0·5	–	4·6	0·3		8
9	8·6	5·6	1·3	7·9	0·5	–	11·7	0·3	8·4	–	0·5	–		9
10	16·3	3·8	6·3	2·0	–	–	1·0	–	–	–	–	1·0		10
11	1·5	–	4·6	3·6	11·4	19·1	3·8	–	0·8	–	–	0·3		11
12	11·2	6·1	2·8	14·2	0·5	18·3	4·1	–	–	–	12·5	1·8		12
13	3·6	1·0	5·8	3·6	0·8	3·8	–	–	–	0·8	1·3	5·1		13
14	9·4	9·4	–	9·1	–	2·5	6·9	–	8·9	0·8	13·2	0·5		14
15	0·8	5·6	1·0	3·1	–	–	–	–	2·5	7·1	0·3	–		15
16	0·5	0·5	4·1	–	2·8	2·3	9·9	0·5	14·0	–	1·3	–		16
17	1·0	–	1·0	–	7·6	0·5	1·0	14·7	1·5	–	–	–		17
18	5·8	1·0	–	1·0	9·9	–	–	14·2	1·3	–	–	–		18
19	0·5	5·1	–	2·8	0·8	18·5	1·0	–	0·5	–	–	2·0		19
20	2·5	–	–	8·4	–	–	0·3	–	0·8	4·1	–	5·8		20
21	0·5	–	–	8·4	–	0·3	1·8	–	–	2·5	–	5·3		21
22	3·6	–	–	3·1	0·8	–	7·6	–	–	–	–	–		22
23	16·8	–	4·1	5·1	0·3	–	1·3	11·2	–	–	–	4·3		23
24	1·5	–	18·8	–	–	1·5	0·3	0·3	–	–	2·0	6·6		24
25	10·7	1·5	10·7	5·1	–	0·5	15·2	0·5	0·3	–	2·8	0·5		25
26	1·3	0·8	4·6	5·6	1·3	–	0·5	–	–	–	7·9	1·0		26
27	1·5	0·3	10·7	0·3	1·3	15·8	7·6	–	–	–	9·7	–		27
28	–	1·5	0·5	2·3	–	5·6	1·3	–	–	–	1·0	8·9		28
29	5·8	3·1	–	0·5	0·3	0·5	4·8	–	–	–	9·9	15·0		29
30	6·1	X	6·1	–	0·8	0·3	0·3	–	16·8	4·6	10·2	20·8		30
31	1·3	X	7·9	X	3·6	X	1·3	0·3	X	24·1	X	0·8		31
99 TOTAL	118·5	55·4	106·0	108·6	90·0	89·5	120·4	109·9	90·6	99·7	81·6	126·8	Year's total 1197·0	
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

R 4416

DOUGLAS,
CLYPSE RES, ONCHAN
1912 – 20

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at Clypse [illegible]

in the ~~County of~~ Isle

by William Cre[illegible]
the

[illegible] in.
Ground [illegible] ft. [illegible] in.
~~Sea~~ Level 420 ft.
Am
Name Douglas
Distance 4. mls. Direction S W

IMPORTANT NOT[illegible] the result entered to the previous day. If an O[illegible]rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	26	06	11	11	..	..	04	..	03	74	1
2	07	04	54	03	15	16	01	..	06	..	..	05	2
3	25	..	..	..	..	07	..	26	77	..	09	32	3
4	24	..	25	01	02	02	..	1.56	07	..	09	03	4
5	04	15	02	..	24	..	..	01	29	06	..	09	5
6	45	58	02	..	04	..	..	01	03	..	03	17	6
7	..	52	11	03	09	..	12	01	21	..	11	07	7
8	65	38	32	20	01	12	..	04	01	01	31	..	8
9	12	14	..	36	..	..	05	01	..	..	23	33	9
10	15	..	..	01	05	05	10	..	..	01	1.04	05	10
11	02	..	..	..	03	..	32	02	..	..	02	03	11
12	46	..	49	02	..	06	17	..	..	04	..	12	12
13	21	..	06	..	..	..	..	08	02	76	..	24	13
14	16	22	02	..	..	04	..	18	02	..	..	24	14
15	23	44	05	..	02	13	..	01	..	48	..	10	15
16	45	02	59	..	01	..	..	44	..	14	03	..	16
17	13	03	03	..	02	86	..	05	..	02	05	12	17
18	15	38	02	..	..	28	..	04	..	08	19	17	18
19	..	05	35	..	..	07	..	27	..	02	02	..	19
20	25	..	22	..	73	03	01	04	..	32	03	02	20
21	01	29	16	04	02	35	..	10	..	50	..	19	21
22	03	43	..	..	06	43	..	91	..	13	20	09	22
23	..	..	39	..	..	..	23	13	..	..	15	19	23
24	..	13	02	..	..	33	02	06	..	06	24	13	24
25	..	03	05	..	..	02	03	..	..	02	23	27	25
26	..	18	04	01	..	..	14	01	..	1.26	09	13	26
27	..	02	43	..	..	63	76	..	..	02	16	36	27
28	..	04	01	..	..	02	39	1.00	..	77	27	..	28
29	..	05	04	..	..	06	48	15	49	08	..	02	29
30	..		20	18	51	09	02	..	..	13	11	34	30
31	..		24		11		97	20		..		01	31
Total	4.07	4.12	4.96	0.95	2.22	3.93	3.92	5.61	2.01	4.91	4.62	4.65	TOTAL for year 45.97
No. of Rain Days.	19	20	4.96 26	11	2.22 17	21	16	24	11	20	22	27	45.87 234

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 14 JAN 1913

Kept at Clypse Reservoir Onchan

in the ~~County of~~ Isle of Man

by William Crebbin Caretaker of the Reservoirs

RAIN GAUGE: Pattern Round; Diameter of top 9 in.; Height of top above Ground ft. 11 in.; above ~~sea~~ Level 420 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Douglas; Distance 4 mile Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	26	06	11	11	–	–	04	–	03	74	1
2	07	04	54	03	15	16	01	–	06	–	–	05	2
3	25	–	–	–	–	07	–	26	77	–	09	32	3
4	24	–	25	01	02	02	–	1.56	07	–	99	03	4
5	04	15	02	–	24	–	–	01	29	06	–	09	5
6	45	58	02	–	04	–	–	01	03	–	03	17	6
7	–	52	11	03	09	–	12	01	21	–	11	07	7
8	65	38	32	20	01	12	–	04	01	01	31	–	8
9	12	14	–	36	–	–	05	01	–	–	23	33	9
10	15	–	–	01	05	05	10	–	–	01	1.04	05	10
11	02	–	–	–	03	–	32	02	–	–	02	03	11
12	46	–	49	02	–	06	17	–	–	04	–	12	12
13	21	–	06	–	–	–	–	08	02	76	–	24	13
14	16	22	02	–	–	04	–	19	02	–	–	24	14
15	23	44	05	–	02	13	–	01	–	48	–	10	15
16	45	02	59	–	01	–	–	44	–	14	03	–	16
17	13	03	03	–	02	86	–	05	–	02	05	12	17
18	15	38	02	–	–	28	–	04	–	08	19	17	18
19	–	05	35	–	–	07	–	29	–	02	02	–	19
20	25	–	22	–	73	03	01	04	–	32	03	02	20
21	01	29	16	04	02	35	–	10	–	50	–	19	21
22	03	43	–	–	06	43	–	91	–	13	20	09	22
23	–	–	39	–	–	–	23	13	–	–	15	19	23
24	–	13	02	–	–	33	02	06	–	06	24	13	24
25	–	03	05	–	–	02	03	–	–	02	23	27	25
26	–	18	04	01	–	–	14	01	–	1.26	09	13	26
27	–	02	43	–	–	63	76	–	–	02	16	36	27
28	–	04	01	–	–	02	39	1.00	–	77	27	–	28
29	–	05	04	–	–	06	48	15	49	08	–	02	29
30	–	–	20	18	51	09	02	–	–	13	11	37	30
31	–	–	24	–	11	–	97	20	–	–	–	01	31
Total	4.04	4.12	4.96	0.95	2.22	3.93	3.82	5.61	2.01	4.91	4.62	4.65	TOTAL for year 45.94
No. of Rain Days.	19	20	4.96 26	11	2.27	21	16	24	11	20	22	27	45.87 23 4

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Con. for auth. 20.II.14.

FORM A. BRITISH RAINFALL. 14 JAN 1914

Kept at Eclipse Reservoir Isle of Man

in the County of the isle of man

by William Crebbin

Lat. ..... Long. .....

Time of Observation 9. Am

Nearest Railway Station 4 a half miles

Diameter of Rain Gauge .8. in.

Height of top of Gauge above Ground ... ft. 11 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	...	.28	04	...	...	...	...	...	...	42	01	1
2	30	07	59	04	32	36	...	...	...	...	27	14	2
3	08	29	09	...	18	...	...	...	...	34	01	68	3
4	01	05	07	...	06	09	...	...	...	20	40	58	4
5	02	08	02	...	26	04	09	...	...	15	55	...	5
6	46	19	33	...	20	22	06	...	...	...	03	24	6
7	02	34	02	...	34	13	...	...	...	54	40	19	7
8	...	07	23	...	20	13	46	03	...	...	31	05	8
9	...	53	05	11	16	50	13	...	01	...	46	06	9
10	41	08	32	10	05	...	...	...	01	13	04	...	10
11	97	01	...	54	...	13	05	...	...	11	1.12	...	11
12	...	...	01	05	07	26	07	08	56	01	27	...	12
13	...	...	14	03	42	05	02	07	77	34	22	...	13
14	27	...	06	03	...	...	...	05	39	27	...	...	14
15	26	...	06	49	...	...	...	01	01	...	15	03	15
16	12	...	03	07	...	...	09	...	...	...	14	...	16
17	12	...	...	10	04	02	02	...	...	...	27	...	17
18	...	...	34	22	02	14	10	...	...	...	08	...	18
19	20	...	02	08	08	55	...	...	07	25	07	...	19
20	05	...	05	46	02	...	03	04	...	14	30	...	20
21	...	...	03	02	11	03	34	26	...	01	...	...	21
22	...	...	1.54	...	04	10	...	27	83	02	...	...	22
23	33	...	03	...	05	15	...	08	61	...	...	04	23
24	60	05	...	...	...	05	...	...	02	...	13	10	24
25	08	11	...	02	...	...	...	...	08	09	03	42	25
26	...	02	...	21	...	...	...	...	12	17	02	78	26
27	...	...	...	10	03	...	...	...	...	15	01	...	27
28	47	01	20	11	02	...	...	...	...	26	...	05	28
29	...		26	40	12	...	...	...	...	65	02	...	29
30	25		...	...	03	...	...	01	...	02	01	...	30
31	...		11		...		...	...		...		...	31
Total	5.02	1.90	4.88	3.22	2.82	2.95	1.46	0.90	3.48 3.58	3.85	5.43	3.37	YEAR'S TOTAL 39.68 39.58
Rain Days.	19	14	24	20	21	17	12	10	12	19	25	14	198 208

W. 7,500, XI. 12

cont for auth 28.IX.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 23 JAN 1915

Kept at Eclipse Reservoir Onchan

in ~~the County of~~ Douglas Isle of Man

by William Crebbin Caretaker of Reservoir

Lat. Nil Long. Nil

Time of Observation 9 a.m.

Nearest Railway Station Douglas a half mile

Diameter of Rain Gauge 7½ in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " above " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0.3	07	...	...	15	41	52	...	03	01	22	1
2	03	08	02	01	24	...	07	...	...	...	31	06	2
3	06	04	22	02	52	...	...	01	...	...	02	73	3
4	23	...	15	42	27	...	38	...	...	...	...	18	4
5	28	03	34	20	22	...	28	04	...	...	46	...	5
6	02	02	03	07	33	01	...	14	...	...	01	20	6
7	05	32	45	...	09	24	13	94	...	07	04	...	7
8	77	02	...	09	147	23	11	36	06	03	06	07	8
9	36	17	38	01	21	28	...	...	...	...	26	...	9
10	07	17	05	...	13	...	...	01	13	...	04	...	10
11	...	14	78	...	...	...	...	...	08	...	12	28	11
12	...	46	47	01	14	...	01	...	46	12	18	07	12
13	...	09	29	04	...	...	30	...	13	06	12	51	13
14	...	13	14	...	...	...	...	...	01	...	64	27	14
15	...	...	36	...	...	...	...	...	06	...	02	10	15
16	...	...	07	...	...	...	01	...	59	...	...	12	16
17	...	46	34	...	...	...	30	...	12	03	...	55	17
18	...	07	11	...	...	...	04	...	01	...	...	21	18
19	...	02	10	...	...	...	12	...	28	...	04	12	19
20	...	44	43	...	...	25	...	...	...	...	...	09	20
21	...	22	...	...	01	...	...	03	...	...	...	16	21
22	...	44	02	04	04	03	...	26	...	03	04	...	22
23	01	02	33	03	...	...	04	...	...	...	04	...	23
24	44	...	05	14	13	...	25	08	...	...	44	...	24
25	01	...	03	...	...	...	10	130	...	158	32	155	158 25
26	...	05	...	...	...	07	05	...	...	15	10	31	26
27	13	10	...	...	...	...	...	...	03	04	72	15	27
28	03	26	35	...	19	...	...	20	05	10	48	03	28
29	33		35	...	03	...	...	64	...	01	10	...	29
30	02		14	02	...	...	...	...	...	...	06	82	30
31	11		04		02		48			20		04	31
Total	298	378	614	113	3.74 374	126	341	4.46 446	201	2.44 239	4.66 466	6.84 684	42.88 4288
Rain Days.	14	23	24	13	16	08	14	13	13	13	24	23	207

YEAR'S TOT

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 19[illegible]

4383

FORM A. BRITISH RAINFALL.

Kept at Eclipse Reservoir

in the County of Isle of Man

by William Crebbin

Lat. ..... Long. .....

Time of Observation 9. Am

Nearest Railway Station 4. ½ a half mile

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground No ft. 11 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	36	36	10	"	11	"	48	05	04	21	"	"	1
2	03	61	63	61	"	14	26	01	"	05	"	"	2
3	"	02	14	40	"	"	56	"	04	"	"	35	3
4	07	03	04	01	"	19	"	"	"	"	"	45	4
5	20	23	35	05	"	"	"	03	"	"	"	1.17	5
6	21	20	04	29	"	07	93	"	11	"	02	10	6
7	14	48	"	03	"	"	44	79	"	24	04	04	7
8	07	21	"	09	"	"	"	16	"	1.25	36	02	8
9	55	21	"	15	"	02	01	10	"	"	23	92	9
10	49	09	08	33	"	"	01	02	"	06	37	"	10
11	"	"	"	"	81	"	03	"	"	21	40	49	11
12	39	01	"	13	02	"	11	"	"	06	1.88	02	12
13	"	"	01	01	"	"	"	02	03	06	63	36	13
14	15	"	"	01	02	"	"	"	21	"	25	03	14
15	33	04	"	04	"	"	"	"	04	"	"	92	15
16	"	1.29	"	02	41	"	41	46	14	01	"	"	16
17	"	19	09	"	24	"	"	"	"	"	"	"	17
18	05	07	09	"	"	"	10	"	"	01	"	"	18
19	05	"	05	48	46	"	14	"	"	13	"	01	19
20	23	"	01	04	15	"	04	08	"	"	"	46	20
21	16	05	"	04	"	"	19	02	01	"	"	36	21
22	03	02	25	"	"	07	12	"	18	04	01	16	22
23	"	16	10	02	"	10	54	"	35	2.35	"	11	23
24	03	"	31	05	"	"	"	"	02	42	01	43	24
25	"	"	"	"	"	04	"	"	05	"	"	38	25
26	"	92	"	"	"	26	07	01	01	"	"	80	26
27	"	03	"	"	"	"	02	"	04	58	14	26	27
28	"	12	"	"	02	"	07	09	01	05	08	08	28
29	03		"	"	03	"	"	"	"	22	38	27	29
30	13	X	"	19	"	"	"	01	"	"	13	53	30
31	12	X	"	X	"	X	"	33	X	02	X	37	31
Total	3.82	5.33	2.29	2.98	2.27	0.89	4.77	2.18	1.28	6.27 6.27	4.93	8.99 9.19	YEAR'S TOTAL 46.00 46.00
Rain Days.	21	21	15	20	10	8	19	15	15	18	15	25	202

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 9 JAN 1917

Kept at Clypse Reservoir Onchan

in the ~~County of~~ Isle of Man

by Wm. Corlett Caretaker of Reservoir

Lat. ..... Long. .....

Time of Observation 9. Am

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	19	30	..	..	24	49	19	..	03	03	..	1
2	41	..	06	..	12	..	..	..	44	2.11	05	12	2
3	..	14	..	06	..	30	..	..	64	36	23	10	3
4	04	02	05	03	29	31	24	..	02	70	42	..	4
5	03	23	15	..	1.20	..	14	..	09	98	11	..	5
6	25	05	..	..	1.16	04	1.04	..	01	10	40	01	6
7	55	01	02	01	1.04	02	41	..	..	39	04	14	7
8	04	01	..	..	..	..	04	..	..	02	11	04	8
9	05	02	..	..	..	..	..	..	..	03	04	15	9
10	02	64	01	21	11	..	09	..	..	35	19	01	10
11	17	03	05	44	50	..	26	01	04	03	..	03	11
12	10	15	39	04	46	..	15	05	05	11	..	01	12
13	02	05	13	42	02	..	..	39	..	46	..	..	13
14	08	13	..	15	17	..	..	07	08	05	02	..	14
15	..	24	45	37	..	..	14	14	08	16	..	13	15
16	(16)	17	..	17	02	..	02	..	01	16	..	01	16
17	22	29	..	44	..	..	..	..	77	(44)	..	04	17
18	11	24	..	66	..	..	..	..	20	11	48	64	18
19	28	01	36	03	..	..	..	16	..	..	44	11	19
20	34	..	09	01	..	..	..	..	..	..	04	49	20
21	35	..	..	..	04	32	..	..	04	..	02	..	21
22	..	..	02	..	..	54	..	..	03	24	..	33	22
23	11	..	02	24	03	..	..	14	..	58	44	22	23
24	..	..	..	30	60	..	..	89	..	08	26	01	24
25	..	..	03	12	70	43	..	1.03	..	13	04	12	25
26	10	..	01	..	..	35	..	..	04	09	09	..	26
27	01	15	..	..	04	02	..	01	20	42	05	13	27
28	11	01	..	..	..	..	..	..	..	26	05	39	28
29	08	78	01	..	..	06	..	..	..	46	52	20	29
30	05	X	..	..	..	02	..	02	..	64	44	04	30
31	..	X	..	X	51	X	..	05	X	02	X	08	31
Total	3.75	3.56	2.15	3.76	7.01	2.69	3.05	3.14	2.86	9.87	4.90	3.55	YEAR'S TOTAL 50.31
Rain Days.	25	21	17	17	17	12	11	13	16	28	23	24	224

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Eclipse Reservoir Onchan

in the ~~County of~~ Isle of Man

by William Corlett Clerk to Res

Lat. ..... Long. Dent Knoll

Time of Observation 9 Am

Nearest Railway Station 4 ± miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 440 ft.

4 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03			01			30		14	36	1
2	29		02	01						03	59	52	2
3	04	05		05		32			01	26	08	11	3
4	22	04	14							18	12	30	4
5	58	01	31	08						37	32	11	5
6				01		03				95	09	13	6
7	1.31					34		09		11	35	20	7
8				33				60	05	63	29	09	8
9	03		05	08	24			45		23	32		9
10	36		89	52	09			06	02	10			10
11	58	20	01	21	07		01	91		38	16		11
12	14	01	06	04	1.11			01	14	55		06	12
13				09	07			44	45	05	09	17	13
14	01	01		21	40			07		20			14
15	02			23	06			04	25	35		53	15
16		03	01	17				43	03	28		61	16
17		18	03	66	13		19	39	21	03	02		17
18			11	09	32		1.44	21	08	08		03	18
19	02	1.22	22		20			17		01	01	16	19
20	02	1.39			19	59		03	07	16	66	82	20
21			08		20			06	20	02	03		21
22		24	02					05	03	28	01		22
23		09			12	(18)		22	09	18	01	01	23
24		02			03	01	13	04		43	25	16	24
25		16	12		01	13		32	20	05	06		25
26					25			02	18	12	82	03	26
27			15		62		14	1.59		23	01		27
28		03	12					1.14		06			28
29			12					01		54			29
30			02		03		04			02	07		30
31			02		42			40					31
Total	3.63	2.44	2.53	2.77	4.55	1.61	1.98	8.15	2.31	6.91	4.50	4.40	46.08
Rain Days.	0.13	0.15	0.20	0.15	0.19	0.08	0.06	0.23	0.16	0.29	0.22	0.18	205

YEAR'S TOTAL

W. 8,000, IX. 17.

copy-A

4311

FORM B.
BRITISH RAINFALL
9 JAN 1917

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1916

At Eclipse Reservoir Onchan

In the ~~County of~~ Isle of Man

Rain Gauge { Diameter of Funnel 8 in.

Height of Top { *Above Ground* ft. 10½ in.
Above Sea Level 400 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with '01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	3.45			25
FEB.	3.56			21
MAR.	2.15			17
APR.	3.46			17
MAY	4.01			17
JUNE	2.68			12
JULY	3.05			11
AUG.	3.14			13
SEPT.	2.86			16
OCT.	4.84	2.11	2	28
NOV.	4.40			23
DEC.	3.55			24
Total	50.31	1278		224

Signed Wm. Cubbin

(Please fill in the other side also.

W. 16,000. viii.16.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
Not Moved		

How was height above sea level ascertained?

By a civil engineer

State pattern and maker of Gauge, if known.

Russell gauge

F. Castorelli 10, mansion st London Mr. 200

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Reservoir & Hedges	8 ft	50 yds	East

In order that the position may be accurately entered on a map please mention

Latitude dont Know **N.**

Longitude dont Know

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Douglas	½ miles	S.W
Church	Onchan	2½ miles	S

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

h 27 1805

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Clypse Reservoir

in the County of Isle of Man

by William Crebbin

Lat. ..... Long. .....

Time of Observation 9 AM

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ..... ft. 11 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	33	..	01	01	..	..	..	19	08	84	28	1
2	..	08	..	02	..	..	..	..	..	42	13	46	2
3	..	06	..	..	1.03	..	..	..	..	87	19	11	3
4	02	05	..	01	09	..	..	..	29	28	68	22	4
5	..	..	..	16	10	..	..	..	01	28	..	24	5
6	10	29	..	16	02	11	..	..	..	36	..	05	6
7	14	..	..	..	13	..	04	01	08	02	15	34	7
8	14	..	..	03	..	15	19	01	07	59	10	02	8
9	04	40	08	10	..	45	08	..	38	46	05	27	9
10	08	39	12	60	..	..	36	..	08	09	14	26	10
11	64	12	06	..	08	..	12	01	01	..	..	03	11
12	08	46	..	16	20	03	..	..	04	..	..	07	12
13	04	..	..	02	06	..	..	..	41	48	01	..	13
14	40	..	..	..	01	11	48	..	53	..	..	15	14
15	..	..	..	..	02	04	64	..	4.95	26	..	26	15
16	02	39	..	..	..	04	02	12	55	09	..	10	16
17	76	20	..	..	..	14	03	06	03	12	..	31	17
18	63	54	19	..	01	39	02	01	..	04	..	10	18
19	77	11	16	58	..	..	06	08	10	02	..	1.84	19
20	75	19	..	15	05	27	75	01	28	..	..	99	20
21	29	03	..	..	..	05	14	..	69	..	..	11	21
22	30	..	01	..	76	04	45	01	15	..	..	31	22
23	31	01	..	..	61	..	11	..	16	01	69	..	23
24	05	11	..	..	..	02	02	11	14	06	45	26	24
25	05	..	..	..	29	..	10	14	41	..	13	..	25
26	03	07	..	..	..	..	07	09	28	04	26	05	26
27	01	63	31	..	..	09	..	42	15	02	29	42	27
28	..	02	14	..	..	..	..	..	04	..	54	65	28
29	02	X	39	..	..	..	..	02	16	05	..	16	29
30	..	X	34	..	..	..	..	..	03	06	28	32	30
31	..	X	23	X	..	X	03	12	X	31	X	20	31
Total	513	450	206	200 ~~205~~	345	193	371	231	10.24	504	437 ~~484~~	891	YEAR'S TOTAL 53.68 ~~54.23~~
Rain Days	23	20	11	12	16	14	19	16	26	23	16	28	224

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19[illegible].

Kept at Eclipse Reservoir Onchan

in the County of Isle of Man

by Wm Stubbin

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 7 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	"	06	"	32	"	05	01	108	17	02	24	1
2	25	"	16	"	03	"	03	"	"	02	02	06	2
3	19	28	"	"	25	04	03	10	"	"	"	04	3
4	11	"	02	"	04	03	13	23	50	01	05	13	4
5	04	"	"	"	02	"	"	"	01	07	"	24	5
6	05	02	47	01	15	"	"	"	06	08	"	03	6
7	14	02	09	24	01	06	"	"	"	"	"	"	7
8	27	"	39	"	"	02	"	11	"	"	"	"	8
9	38	"	"	11	"	01	"	"	"	"	03	04	9
10	25	"	07	22	09	09	"	"	"	16	"	116	10
11	40	"	19	03	05	02	07	"	33	06	"	11	11
12	"	05	"	07	12	102	"	"	57	25	02	12	12
13	41	"	"	19	"	"	06	08	18	66	11	12	13
14	(17)	03	"	07	"	"	03	"	"	46	04	23	14
15	25	24	"	14	48	"	"	05	"	11	"	30	15
16	05	07	02	07	"	08	"	"	"	"	"	20	16
17	"	"	"	06	08	"	"	28	"	"	63	"	17
18	07	"	172	"	04	18	25	22	13	"	44	16	18
19	26	59	41	"	"	21	"	01	25	"	15	10	19
20	23	18	02	"	30	08	"	"	"	"	74	20	20
21	"	28	"	"	09	01	03	02	13	"	09	03	21
22	01	17	02	"	"	09	"	01	24	20	04	81	22
23	13	"	"	01	"	34	"	"	"	165	09	"	23
24	27	"	"	02	22	"	"	08	04	30	20	13	24
25	16	"	"	25	"	"	"	91	18	"	10	"	25
26	04	01	23	10	"	07	"	28	29	"	"	77	26
27	49	"	01	53	"	"	"	01	02	"	"	"	27
28	06	"	02	62	"	04	"	58	03	"	"	60	28
29	08		56	20	"	"	"	01	11	"	"	03	29
30	"		22	10	"	88	"	14	"	"	25	93	30
31	01		01		"		06	13		"		14	31
TOTAL	5.11	194	497	304	225	327	074	326	409	420	302	692	YEAR'S TOTAL 4283 4281 213
Days with .01 in. or more	24	12	19	19	16	18	10	19	17	14	17	25	
Days with .04in.	25	8	12	15	13	13	6	13	14	12	13	22	166

(44,283). Wt.21,958—2[illegible]. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3827

10 JAN 1921

Kept at Chapel Reservoir Onchan

in the ~~County of~~ Isle of Man

by Wm Corlett

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Douglas

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	50	40	82	"	40	03	28	53	03	54	1
2	08	"	"	05	"	"	43	01	46	"	"	89	2
3	02	07	"	03	02	"	"	20	36	22	07	34	3
4	"	"	01	"	30	"	03	1 34	04	"	04	"	4
5	"	"	04	"	55	"	04	09	25	98	"	"	5
6	01	"	40	39	13	"	02	"	"	82	01	04	6
7	08	12	05	01	08	"	14	98	03	02	03	"	7
8	"	10	01	15	10	"	62	30	01	"	31	"	8
9	34	14	03	41	01	"	44	02	36	"	01	"	9
10	39	12	07	18	"	"	07	"	"	"	"	68	10
11	09	"	10	08	49	58	16	"	02	"	"	01	11
12	39	16	10	58	02	65	16	"	"	"	40	06	12
13	12	06	18	16	06	"	"	"	"	02	03	14	13
14	32	36	"	41	"	13	22	"	34	06	44	02	14
15	01	16	05	11	"	"	"	"	14	36	03	"	15
16	"	01	11	04	14	05	40	"	60	"	"	"	16
17	04	"	03	"	29	02	01	45	02	"	"	"	17
18	24	09	"	03	24	"	"	21	20	"	"	"	18
19	"	25	"	11	"	89	03	"	06	"	"	04	19
20	14	"	"	66	"	"	01	"	04	24	"	18	20
21	02	"	"	16	"	"	04	"	"	18	"	21	21
22	15	"	"	38	03	02	34	35	"	"	"	"	22
23	51	"	12	25	"	"	16	02	"	"	"	22	23
24	02	"	42	01	"	"	02	02	"	"	03	25	24
25	34	06	32	20	"	03	69	"	02	"	"	02	25
26	04	06	16	22	12	"	"	"	"	"	36	05	26
27	04	"	30	13	"	59	20	"	"	"	34	"	27
28	14	05	02	08	"	19	06	"	"	"	03	31	28
29	14	04	"	"	"	05	33	"	"	"	50	48	29
30	17		15	"	04	"	"	"	64	08	58	79	30
31	04		30		19		04	"		104		06	31
TOTAL	386	1·88 ~~196~~	390	518	~~366~~ 366	320	512	402	390	458	328	506	YEAR'S TOTAL ~~4764~~ 4754
Days with ·01 in. or more	24 2	16	22	25	19	11	25	13 4 aug	18	31 Oct	17	20	221
Days with ·04 in. or more	19 Nil	15	17	21	14	6	19	8	13	15	9	17	172

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KIRKMICHAEL
(BISHOPS COURT)
1912, 1916, 18-20.

III.13.

FORM A2.
BRITISH RAINFALL.

4 JAN 1913

912

Kept at Bishop's C

in the County of Le

by William B

p ..... in.

bove Ground 1 ft. ..... in.

„ Sea Level ..... ft.

9. a.m.

n { Name Kirk Michael
Distance ½ mile Direction

IMPORTANT NO

previous day. If an

requested to add the re

for it at the end of t

the selection and pla

Organization are given

Dr. H. R. MILL, 62, Camden Square, London, N.W.

nd the result entered to the
niversal rule, he is earnestly
year in the space provided
urement of rain,
British Rainfall
on application to

Jan. 1, following.
(—)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			4	11	8	2	6	92	16			4	1
2			19		14	11			14		5	43	2
3	4	10	31		39	26	2		44				3
4	16					18		50	14			5	4
5	19		34			12		46			55	6	5
6	6		3					4	14	4		4	6
7	55	30			9							15	7
8		65	43				16	6	8		19	25	8
9	54	46	59	12	3	6		8			42		9
10	5	21		10			3	22			28	34	10
11	32					13	6				49	3	11
12	3				6		28	2				3	12
13	46		31	3		14	16					9	13
14	35					4		3	4	33		13	14
15			8			4		4				32	15
16	83	4	4			19				24		14	16
17	56	3	22							26			17
18	28	5				60					3	15	18
19	12	25				15		20		8	13	13	19
20		18	21			24		18		2			20
21	9		63		39	21				33		5	21
22		5	30	4		10		5		36		30	22
23		20			3	50		52		9		5	23
24			18				10	8		2	16	6	24
25		8				38					9	21	25
26			6							3	10	12	26
27		24	4			2	6			53	21	53	27
28			30			45	59			3	3	4	28
29		4	4			6	34	55		55	4		29
30			3				24	4	31	26	14	2	30
31			28		19				2	9		41	31
Total	4·63	3·64	4·75	·37	1·37	4·07	2·99	3·58	1·37	3·29	3·01	4·19	36·66
No. of Rain Days.	16	15	21	5	9	21	12	17	8	16	15	25	182

TOTAL for year

W. 8,000, X. '11.

III.13.

912

FORM A2.
BRITISH RAINFALL.

4 JAN 1913

Kept at Bishop's Court-Garden's

in the County of Kirk Michael Isle of Man

by William Brew Gardener.

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground 1 ft. ____ in. " " " Sea Level ____ ft.

Time of Observation 9. a.m.

Nearest Railway Station: Name Kirk Michael Distance ½ mile Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			4	11	8	2	6	92	16			4	1
2			19		14	11			14		5	43	2
3	4	10	31		39	26	2		44				3
4	16					18		50	14			5	4
5	19		34			12		46			55	6	5
6	6		3					4	14	4		4	6
7	55	30			9							15	7
8		65	43				16	6	8		19	25	8
9	54	46	59	12	3	6		8			42		9
10	5	21		10			3	22			28	34	10
11	32					13	6				49	3	11
12	3				6		28	2				3	12
13	46		31	3		14	16					9	13
14	35					4		3	4	38		13	14
15			8			4		4				32	15
16	83	4	4			19				24		14	16
17	56	3	22							26			17
18	28	5				60					3	15	18
19	12	25				15		20		8	13	13	19
20		18	21			24		18		2	8		20
21	9		63		39	21				33		5	21
22		5	30	4		10		5		36		30	22
23		20			3	50		52		9		5	23
24			18				10	8		2	16	6	24
25		8				38					9	21	25
26			6							3	10	12	26
27		24	4			2	6			53	21	53	27
28			30			45	39			3	3	4	28
29		4	4			6	34	55		55	4		29
30			3				24	4	31	26	14	2	30
31			28		19				2	9		41	31
Total	4·63	·07	·11	·08	·62	·06	·92	·15	—	—	·07	—	TOTAL for year
No. of Rain Days.	16	16	21	5	9	21	12	17	8	16	16	25	182

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Orrysdale, Kirk Michael,

in the County of Isle of Man,

by William Brew

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Kirk Michael

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·15	·18		·14	·57	·18	·15					1
2	·12	·04	·07			·06			·46	·36	·12	·06	2
3	·04	·50		·13	·20	·30	·09		·45	·07	·71	·04	3
4	·02	·13		·02	·54	·24				·80	·57		4
5	·18	·15	·09		·66		·03		·07	·50	·04		5
6	·43						·59			·35	·15		6
7	·02				·70		·33			·23	·08	·20	7
8	·01						·02					·13	8
9		·05					·05			·02	·03	·46	9
10		·18		·22		·03	·10		·03	·36		·03	10
11	·10		·02		·13		·42		·04	·04	·03		11
12	·04	·09	·36	·43	·24		·28	·09	·02	·20	·16		12
13	·05	·09	·04	·06	·07			·48		·55			13
14	·05	·10	·43	·20	·16			·06		·13			14
15	·10	·22		·09			·15			·04		·38	15
16	·20	·14		·20	·03		·10		·02	·06		·08	16
17	·19	·13		·19				·10		·03		·05	17
18	·31	·07		·20					·57	·07	·47	·80	18
19	·12		·44	·12				·29	·11		·30	·18	19
20			·03	·02								1·16	20
21				·13	·14							~~·16~~	21
22				·02		·25			·07	·19		·42	22
23				·19				·04		·15	·28	·02	23
24				·11	·02			·38		·53	·38	·12	24
25			·15	·08	·51	·29		·88		·13	·35	·06	25
26	·28		·08		·90	·06				·16	·08		26
27		·08							·08	1·02	·15	·13	27
28	·09				·05					·30	·08	·21	28
29	·09	·48				·07		·18			·58	·05	29
30		X		·03	·02	·17	·11	·03		·34	·20	·04	30
31		X		X	·32	X		·05	X	·02	X	(·00)	31
Total	2·51	2·60	1·89	2·44	~~4·83~~	2·04	~~2·45~~	2·73	1·92	~~6·65~~	4·76	~~4·57~~ 4·73	YEAR'S TOTAL 39·39
Rain Days.	20	16	11	17	17	10	14	12	11	25	19	20	192

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN 1917

Kept at Orrys-dale

in the County of Kirk Michael Isle of Man

by William Brew

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Kirk Michael

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	27		48		3	382	17		5		2	20	1
2	7	15	18		14	589	18	15					2
3	12	4	41			6			46	36	12	6	3
4	4	60		19	20	30	9		45	4	71	4	4
5	2	13		2	54	24				80	61		5
6	18	15	1		66		33		1	50	4		6
7	43						59			35	15		7
8	2				40		33			23	8	20	8
9	1						2					13	9
10		5					5			2	3	46	10
11		18		282		3	10		3	36		3	11
12	10		2		13		42		4	4	3		12
13	4	9	36	43	24		28	9	2	20	16		13
14		9	4	6	7			48		65			14
15		10	43	20	16			6		13			15
16		22		9			15		2	4		38	16
17	5	14		20	3		10			6		8	17
18	5	13		19				10	57	2		5	18
19	10	7		20					11	7	44	80	19
20	20		44	12				29			30	13	20
21	19		3	2								1.00 16	21
22	31			13	14				7				22
23	12			2		25				19		43	23
24				19				4		15	26	2	24
25				11	2			58		59	35	19	25
26			15	8	581	29		88		13	36	6	26
27	28		8		90	6				16	8		27
28		8							8	1.02	15	13	28
29	9				5					30	8	21	29
30	9	X				4		18			56	6	30
31		X		X	2	X	11	3	X	34	X	4	31
Total	2.78	2.22	2.37	2.41	4.97	2.19	2.62	2.68	1.94	6.63	4.58	4.77	YEAR'S TOTAL 39.39
Rain Days.	21	13	12	14	14	10	14	11	12	24	19	21	1934

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19 18

Kept at Bishop's Court - Michael

in the County of Isle of Man

by William Brew

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station St Michael

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. 2. 1. 18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (.20) sold

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				8					9		46	84	1
2										14	124	93	2
3		8		4					9	21	33	34	3
4		4			56					44	18		4
5				3	9				3	31	48	93	5
6		5		11				88		19		9	6
7		35		5	3	33				43			7
8					15		3		11		58	96	8
9	5			6		29	48		3	30	4		9
10		36	4	5		24	4		14	24		15	10
11	5	39		45			11		14		13	13	11
12			4		12				10	13		12	12
13		39	9	11	4	3						12	13
14									49	15			14
15	23					9	40	4	41				15
16	34	3					38		186	24		34	16
17	30	40				19		18	36			9	17
18	55	31						8	14	15		29	18
19	30	34	21			19						11	19
20			12	34				2	6	3		84	20
21	12					18	40		36			36	21
22	11			2					60	3			22
23		3			60	3	6		54			16	23
24	8				14		9		7		14		24
25	4	18					16	4	21	4	16	16	25
26	2				29			14	8				26
27		15			3		35	13	18		8		27
28	12	21	30		13				12	11	25	45	28
29			18					36			28	54	29
30		X	5					6				14	30
31		X	8	X	X			5	X	9	X	33	31
Total	13	15	10	10	11	9	11	12	21	18	13	13	YEAR'S TOTAL 165
Rain Days.	231	364	125	129	221	160	273	212	580	416	429	571	3701

W. 8,000, IX. 17.

2.31 3.64 1.25 1.29 2.21 1.60 2.73 2.12 5.80 4.16 4.29 5.71 Total 37.11

REGISTER OF RAINFALL IN 1919

Kept at Bishop's Court-gardens
in the County of Kirk Michael
by Mr. Wm Brew. Isle of Man

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22		4.		5		12.		65		5	45	1
2	45			2.	34							4.	2
3	22	11	9		8	12	13	13			[illegible]	3	3
4	44					4.	18	94	40		[illegible]		4
5	18	3			2					9.	22	23	5
6	28		45							9		10	6
7	18		14	21	3			19			3	[illegible]	7
8	65		13								4		8
9	24			10		3			5			3	9
10	26		11	14	6					8		89	10
11	14		2		10	12	9		12	13		14	11
12				11		82		4	40	14	9	24	12
13	13			52			14			60		20	13
14	16			8				32			8	41	14
15	16	20			49			3		3		15	15
16	4					9	2				52	12	16
17	6			3				19			39		17
18			43				20	9	5		3	4	18
19	4	48	54			9		2	20		3	3	19
20		9	10		11	99					43		20
21	4.	28			16		6	2	19		39	25	21
22		23				4			14	42		3	22
23						6				49	4	40	23
24	33			8	24			10	5	49	15		24
25								22	14			6	25
26			20	4		14		16	11			60	26
27	4			5		3							27
28	22							38	8			34	28
29	14		snow 42	21					14				29
30		X		11		15			8		40	42	30
31		X		X		X	3	4	X		X	3	31
Total	22	4	12	13	11	13	9	15	15	10	14	23	YEAR'S TOTAL 32.26
Rain Days.	468	1.42	2.70	1.73	1.71	2.01	.97	2.09	2.80	3.43	2.74	5.98	164

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bishop's Court-

in the County of St Michael I. of Man

by Mr William Brew

Lat. ..... Long. .....
Time of Observation 9 o'clock
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			24	11	44	29	38	4		69		56	1
2	35	23		4			36		50	3		36	2
3	8				2			10	22	49		36	3
4					54			90	9	33	6		4
5			2	6	12		10	11	12	40	2	8	5
6										55			6
7	4	15			3		30	28		34	5		7
8		12	5	5	12		55				35	5	8
9	28	6	6	13			19	15	35				9
10	68						11						10
11	29		14	31	14	54	2						11
12	8	4	6	45		54					29	11	12
13	13	6	46	14		13	9					4	13
14	8	4				11			20	2	40		14
15		21		14	9				4	38	6		15
16			6	6	12	4	33		34				16
17	60		8		29	4	9	42	5				17
18	2	14	5	6	35				13				18
19				19	4							9	19
20	14	12										12	20
21	14			45			5					12	21
22							35	56		3			22
23	48		22	32	5	6	8	2				19	23
24			54	2		5	10				8	14	24
25	6		63	14			45				11	3	25
26	39	4	12	25							25	8	26
27	5		66		14	54	30				28		27
28	36				5	5	5				3	30	28
29	42	4			6		13				12	31	29
30	8		15						60	54	25		30
31	3		33		10		6	5		238			31
TOTAL	4·46	1·41	3·90	3·28	3·09	2·41	4·15	3·63	2·64	6·41	2·35	2·90	YEAR'S TOTAL 39·63
Days with ·01 in. or more	21	12	17	17	17	11	20	10	11	12	14	16	178
	18	12	16	16	15	11	20	9	11	9	12	15	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cert. for W.D. 4420

RAMSEY TOWN HALL

1911 – 20

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Ramsey *in the County of* [illegible] *by* Geo. W. [illegible]

911
[illegible] H.R. mill
[illegible]p [illegible] in.
[illegible]bove Ground [illegible] ft. [illegible] in.
" Sea Level [illegible] ft.
[illegible]
[illegible]on { Name [illegible]
Distance [illegible] Direction [illegible]

IMPORTANT [illegible] £8,17.10 and the result entered to the previous day. If [illegible] universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. at 9 a.m. 0.015

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			See Feb.										1
2			0.150		0.310	0.030	0.030	0.070			0.275	0.525	2
3			0.055		0.355			0.170		0.175	0.030	0.870	3
4			0.190		1.420						0.780	0.160	4
5			0.100		0.010			1.010			0.710	0.400	5
6	1.100		0.010					0.070				0.030	6
7	0.575							0.040			0.020	1.480	7
8	0.030	0.010								0.130	0.670	0.010	8
9			0.080		0.030						0.045	1.580	9
10			0.080								0.330	0.360	10
11	0.600	0.240	0.200									1.360	11
12	0.010								0.080		0.300	0.010	12
13		0.010			0.015				0.030		0.365		13
14		0.175			0.220						0.545	0.185	14
15											0.250	0.225	15
16	0.005	0.505		0.030							0.620	0.015	16
17		0.035		0.010		0.225	0.080				0.240	0.810	17
18		0.020		0.040		0.210					0.510	0.430	18
19		0.690		0.490		0.015				0.070	0.010	0.410	19
20		0.030		0.475		0.010			0.200	0.230	0.055	0.610	20
21		0.140		0.340			0.150	0.110	0.205	0.225		0.245	21
22	0.120	0.425		0.120		0.320			0.010	0.580		0.035	22
23	0.090	0.020		0.080		0.255			0.095	0.250			23
24	0.010	0.285		0.050					0.390	0.060		0.940	24
25	0.060	0.030		0.250		1.230		0.380	0.070	0.265		0.100	25
26		0.150		0.220		0.035	0.010			0.030		0.165	26
27		0.125		0.180			0.600	0.070	0.010	0.800		0.100	27
28		0.500		0.070			0.830	0.150	0.180		0.060	0.175	28
29	March 1st 0.080			0.440		0.055		0.370	0.035	[illegible]	0.015	0.280	29
30			0.010	0.170		0.355	0.070		0.130	1.110		0.210	30
31			May 1st 0.010		July 1st 0.010		0.030		November 1st 0.650		Dec. 1st 0.150	.015	31
Total	2.600	3.550	0.875	3.305	3.150	2.750	1.800	2.440	1.435	4.620	5.980	12.065	TOTAL for year 44.570
No. of Rain Days.	9	18	9	16	8	12	8	10	12	14	20	28	164

W. 8,000, X. '11.

cor. for W.D.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at Town Hall Ramsey

in the County of Isle of Man

by George W. Quine, Town Surveyor

Rain Gauge: Pattern Pontinden Exhibition Day 12 in. R. mill; Diameter of top ... in.; Height of top above Ground ... ft. ... in.; " " " Sea Level ... ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name ...; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. at 9 a.m. 0.015

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			See Feb.										1
2			0.150		0.310	0.030	0.030	0.070			0.275	0.525	2
3			0.055		0.355			0.170		0.175	0.030	0.870	3
4			0.190		1.420						0.780	0.160	4
5			0.100		0.010			1.010			0.710	0.400	5
6	1.100		0.010					0.070				0.030	6
7	0.575							0.040			0.020	1.480	7
8	0.030	0.010								0.130	0.670	0.010	8
9			0.080		0.030						0.045	1.580	9
10			0.080								0.330	0.360	10
11	0.600	0.240	0.200									1.360	11
12	0.010								0.080		0.300	0.010	12
13		0.010			0.015				0.030		0.365		13
14		0.175			0.220						0.545	0.185	14
15											0.250	0.225	15
16	0.005	0.505		0.030							0.620	0.015	16
17		0.035		0.010		0.225	0.080				0.240	0.810	17
18		0.020		0.040		0.210					0.510	0.430	18
19		0.690		0.490		0.015				0.070	0.010	0.410	19
20		0.030		0.475		0.010			0.200	0.230	0.055	0.610	20
21		0.140		0.340			0.150	0.110	0.205	0.225		0.245	21
22	0.120	0.425		0.120		0.320			0.010	0.580		0.035	22
23	0.090	0.070		0.080		0.255			0.095	0.250			23
24	0.010	0.285		0.050					0.390	0.060		0.940	24
25	0.060	0.030		0.250		1.230		0.380	0.070	0.265		0.100	25
26		0.150		0.220		0.035	0.010			0.030		0.165	26
27		0.125		0.180			0.600	0.070	0.010	0.800		0.100	27
28		0.500		0.070			0.830	0.150	0.180		0.060	0.175	28
29	1 March 0.080			0.440		0.055		0.370	0.035	[illegible]	0.015	0.280	29
30			0.010	0.170		0.355	0.070		0.130	1.110		0.210	30
31			May 1st 0.010		June 1st 0.490	July 1st 0.010	0.030			November 1st 0.650 0.045	December 1st 0.150	.015	31
Total	2.600	3.550	0.875	3.305	3.150	2.750	1.800	2.440	1.435	4.620	5.980	12.065	TOTAL for year 44.570
No. of Rain Days.	9	18	9	16	8	12	8	10	12	14	20	28	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 27 JAN 1913

Kept at Ramsey Isle of Man

~~*in the County of*~~ at Town Hall

by George W. KEWIN Town Surveyor

RAIN GAUGE { Pattern All same as last year
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]		0.580		0.145	0.140		0.005	0.290			0.460	1
2	0.050		0.680		0.335	0.350			0.100			0.030	2
3	0.195					0.300	0.030	0.120	0.480			0.100	3
4	0.135		0.500		0.030	0.085		0.980	0.020		0.820	0.010	4
5	[illegible]	0.130	0.020		0.090			0.140	0.040	0.085		0.010	5
6	0.310	0.465							0.020			0.185	6
7	0.210	1.360	0.180		0.020		0.040		0.010		0.110	0.490	7
8	1.430	0.500	0.410	0.080	0.010	0.045		0.040	0.005		0.385		8
9	0.045	0.210	0.160	0.180			0.095				0.210	0.540	9
10	0.605	0.020			0.010	0.200	0.060				0.325	0.055	10
11	[illegible]				0.060		0.400	0.010		0.015		0.065	11
12	0.690		0.330			0.050	0.050			0.005		0.090	12
13	0.840							0.040	0.010	0.600		0.180	13
14	0.645		0.040			0.045		0.045		0.055		0.380	14
15	0.345	0.335	0.140		0.040	0.160		0.080		0.210		0.205	15
16	1.130	0.130	1.250					0.335		0.300	0.030		16
17	0.200	0.010	0.040		0.020	0.445		0.365			0.010	0.240	17
18	0.060	0.260				0.200		0.025				0.160	18
19	[illegible]	0.080	0.260			0.130		0.950		0.120			19
20	0.190		0.020		0.590	0.130	0.030	0.090		0.460		0.155	20
21	[illegible]	0.350	0.450	0.050		0.090	0.010	0.010		0.350		0.250	21
22	0.010	0.430			0.020	0.320		0.535			0.120	0.010	22
23	[illegible]		0.265				0.310	0.260			0.095	0.170	23
24		0.040				0.420	0.010	0.030		0.110		0.400	24
25			0.010			0.290		0.005		0.010	0.395	0.140	25
26		0.380	0.060							0.940	0.300	0.280	26
27		0.005	0.270			1.290	0.400			0.040	0.040	0.360	27
28		0.180	0.010			0.050	0.395	1.500		0.820	0.300		28
29		0.100	0.025				0.300	0.145	0.055	0.205		0.010	29
30			0.210	0.025	0.140			0.015	0.140	0.140	0.120	0.550	30
31			0.120		0.100		0.850	0.180					31
Total	6.480	5.615	6.060	0.335	1.610	4.440	3.310	5.995	1.230	4.825	3.260	6.155	TOTAL for year 49.945
No. of Rain Days.	16	18	23	4	14	19	14	22	10	18	14	26	196

W. 8,000, X. '11.

Aug 1.5.14

sent for audit. 30.IV.14

FORM A. BRITISH RAINFALL.

12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Town Hall, Ramsey

in the ~~County of~~ Isle of Man

by G. W. KEWIN, Town Surveyor

Lat. ..... Long. .....

Time of Observation 9 a.m. on first day of the month

Nearest Railway Station .....

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground 15 ft. 0 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.010	1.140	0.035							0.840		1
2	0.560	0.115	0.750	0.140	0.240	0.455					0.730	0.095	2
3	0.475	0.065	0.330		0.230					0.250		0.960	3
4	0.010	0.045	0.020		0.025	0.120				0.050	0.480	0.355	4
5	0.020	0.195	0.010		0.270	0.010	0.130			0.060	0.285	0.075	5
6	0.430	0.400	0.730		0.595	0.140	0.260				0.380	0.285	6
7	0.210	1.280			0.450	0.050				0.300	0.010	0.075	7
8	[illegible]	0.170	0.410		0.205	0.030	0.080	0.020	0.010		0.480	0.025	8
9		0.155	0.070	0.030	0.240	0.490	0.050				0.145	0.070	9
10	0.150	0.010	0.095	0.040	0.030					0.155	0.470		10
11	1.580			0.400		0.075				0.080	1.120	0.045	11
12	0.010		0.020		0.080	0.040		0.010	0.420	0.045	0.120	0.005	12
13	[illegible]		0.240		0.450	0.030	0.110	0.065	1.210	0.230	0.235		13
14	0.090		0.060	0.070	0.005			0.050	0.400	0.390			14
15	0.700		0.185	1.400				0.020	0.095	0.030	0.140	0.025	15
16	0.275		0.010	0.160							0.120		16
17	0.160			0.140	0.015		0.015				0.065		17
18	[illegible]		1.220	0.150		0.100	0.110				0.220		18
19	0.135		0.005	0.105	0.040	0.385			0.025	0.595	0.065		19
20	0.140		0.040	0.385	0.055		0.015			0.255	0.250		20
21	[illegible]		0.220	0.005	0.030	0.030	0.250	0.250					21
22	0.440		0.810		0.010	0.100		0.015	0.940				22
23	0.550				0.020	0.530		0.210	1.070	0.345			23
24	0.225	0.160		0.310		0.020			0.005		0.395	0.095	24
25	[illegible]	0.180		0.045					0.040	0.010	0.050	0.245	25
26		0.035		0.640					0.110	0.030	[illegible]	0.905	26
27				0.195						0.230	0.045	0.020	27
28	1.570	0.010	0.220	0.250	0.010					0.315		0.020	28
29			0.215	0.480	0.030					0.690	0.010		29
30	0.820				0.020			0.080		0.050			30
31	0.035		0.130										31
Total	8.585	2.830	6.930	5.010	3.050	2.605	1.020	0.720	4.355	4.110	6.685	3.300	(YEAR'S TOTAL) 49.200
Rain Days.	21	14	21	18	20	16	9	9	10	19	22	15	194

6.085

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 23 JAN 1915

Kept at The Town Hall. Ramsey

in the ~~County of~~ Isle of man

by George W. Kewin (G. W. KEWIN)

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station Ramsey

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.185

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.110	0.100			0.040		0.420			0.030	0.480	1
2		0.165	0.010	0.050	0.220		0.105	0.010			0.215	0.310	2
3	0.100	0.035	0.090		0.885						0.180	0.695	3
4	0.165	0.026	0.045	0.890	0.110		0.200	0.145				0.695	4
5	0.085	0.040	0.110	0.035	0.310		0.125				0.655		5
6	0.055	0.025	0.005	0.010	0.330			0.035				1.350	6
7	0.025	1.110	0.340		0.220	0.065		0.230			0.040	0.005	7
8	0.555	0.010	0.015	0.010	0.240	0.060	0.050	0.410	0.160		0.045	0.030	8
9	0.055	0.120	0.120	0.555	0.040	0.100			0.010		0.385		9
10	0.550	0.645	0.030		0.010	0.010			0.110		0.215		10
11		0.230	1.080	0.030							0.155	0.190	11
12		0.495	0.050		0.080				0.350		0.095	0.040	12
13		0.305	0.950	0.100	0.025		0.600		0.010	0.040	0.125	0.395	13
14		0.280	0.300	0.010			0.095				0.630	0.265	14
15		0.010	0.140										15
16							0.040		0.420				16
17		1.155	0.805				0.610		0.090	0.035		0.755	17
18		0.155	0.605				0.030		0.040				18
19		0.020	0.190				0.345		0.210			0.245	19
20		1.005	0.090			0.095						0.035	20
21		0.210						0.335				0.045	21
22		0.590		0.060	0.150	0.030	0.020	0.110		0.005			22
23	0.020	0.010	0.215	0.025			0.020	0.050			0.080		23
24	0.190		0.005	0.090			0.195	0.045			0.535		24
25	0.015		0.010				0.100	0.860		1.085	0.245	2.320	25
26							0.040	0.015		0.045	0.240	0.810	26
27	0.090	0.045								0.040	0.825	0.040	27
28	0.025	0.160			0.130			0.100	0.015	0.080	0.400		28
29	0.105		1.800		0.080			0.630		0.010	0.380		29
30		X	0.110								0.340	1.800	30
31	0.210	X		X		X	0.745		X	0.240	X	0.185	31
Total	2.245	4.280	4.245	1.865	2.830	0.400	3.380	3.425	1.415	1.640	5.845	10.450	YEAR'S TOTAL 48.650
Rain Days.	15	24	23 22	12	14	4	16	14	10	8	20	~~19~~ 18	183 181

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4385

FORM A. BRITISH RAINFALL. 15. JAN. 1916

Kept at Ramsey, (Town Hall) End Lat

in the ~~County~~ of Isle of Man

by G. W. KEWIN (Surveyor)

Lat. ..... Long. ..... W. of Greenwich

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·420	0·455	0·035	0·260			0·090	0·020	0·015	0·150		0·060	1
2	0·315	0·440	0·420	0·350		0·065	0·385			0·010			2
3	0·005	0·575	0·015	0·080	0·015		0·240					0·455	3
4	0·055	0·035	0·055	0·015		0·135		0·045				0·270	4
5	0·385	0·235	0·150	0·880				0·070				1·290	5
6	0·010	0·260		0·050		0·040	1·120		0·130			0·145	6
7	0·230	1·020		0·005		0·010	0·440	0·125			0·020		7
8	0·035	0·310		0·090				0·020		0·450	0·500	0·035	8
9	0·005	0·320		0·380		0·010		0·015			0·385	0·620	9
10	0·550	0·145	0·020		0·560		0·020				0·080	0·215	10
11	0·010		0·005	0·180			0·010			0·470	0·020	0·295	11
12	0·100						0·015			0·085	1·440	0·005	12
13							0·040	0·155	0·030	0·010	0·310	0·305	13
14	0·115			0·010			0·045	0·040	0·050		0·020	0·035	14
15	0·450				0·180			0·030			0·120	0·600	15
16		2·305			0·200		0·260	0·120	0·030			0·020	16
17		0·650											17
18		0·220	0·060	0·450	0·410								18
19	0·030	0·005	0·010		0·160		0·090			0·115			19
20	0·140	0·015	0·015	0·030			0·020	0·010				0·450	20
21	0·135	0·050										0·180	21
22		0·035	0·185	0·045			0·050					0·265	22
23		0·065		0·020		0·140			0·625	2·240		0·150	23
24			0·100				0·030			0·325		0·540	24
25						0·020			0·015			0·210	25
26		2·665				0·300	0·045	0·005				0·600	26
27		0·040				0·005				1·525	0·220	0·690	27
28		0·040			0·025		0·010	0·250				0·050	28
29				0·050						0·125	0·740	0·135	29
30	0·100			0·090							0·510	0·640	30
31	0·055		0·120					0·205		0·010		1·400	31
Total	3·445	10·245	1·190	2·985	1·550	0·725	2·940	1·110	0·895	5·545	4·365	10·190	YEAR'S TOTAL 45·215
Rain Days.	17	20	12	16	7	8	17	13	4	12	12	25	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

Used 4W

4313

FORM A. BRITISH RAINFALL.

Kept at Ramsey (Town Hall.)

in the ~~County of~~ Isle of Man

by Geo. W. Dawson

Lat. ..... Long. ..... No Observation

Time of Observation (7 A.M.?)

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·220	0·210	0·085			0·500	0·620	0·120			0·040	0·150	1
2	0·545	0·065	0·065		0·075	0·110			0·330	0·720		0·090	2
3		1·440		0·060	0·005	0·250			0·715		0·620	0·065	3
4	0·065	0·035	0·035	0·005	0·150	0·300				0·870	0·560		4
5	0·020	0·330	0·020		1·025	0·005	0·050		0·020	0·880	0·040		5
6	0·190	0·040			0·770		0·860			0·380	0·825		6
7	0·190				1·510		0·300			0·330	0·170	0·200	7
8	0·110				0·010					0·010	0·020		8
9	0·010					0·010	0·010				0·015	0·135	9
10		0·235		0·210			0·085			0·210	0·030	0·010	10
11	0·095	0·065	0·010	0·370	0·280		0·205		0·025	0·125			11
12	0·055	0·195	0·435	0·035	0·420		0·315	0·010	0·020	0·180			12
13	0·010	0·165	0·065	0·220	0·010			0·335		0·570			13
14	0·025	0·200		0·065	0·150					0·100	0·015		14
15		0·165		0·180			0·020	0·150	0·010	0·230		0·200	15
16	0·030	0·095		0·110	0·005					0·135			16
17	0·420	0·105		0·300				0·040	0·380	0·420		0·005	17
18	0·030	0·100		0·090					0·200	0·060	0·295	0·770	18
19	0·485		0·340					0·160			0·280	0·150	19
20	0·455		0·010	0·030					0·005		0·140	1·015	20
21	0·205				0·030	0·080			0·055				21
22				0·080		0·700			0·030	0·295		0·290	22
23	0·450		0·020	0·640				0·010		0·510	0·770	0·455	23
24				0·240	0·165			0·030		0·140	0·080	0·060	24
25			0·260	0·010	1·380	0·120		0·950		0·185	0·520	0·185	25
26	0·220		0·070			0·135			0·055			0·010	26
27		0·030			0·020	0·155			0·135	0·300	0·010	0·050	27
28	0·205	0·010				0·040				0·310	0·010	0·380	28
29	0·165	0·225				0·010				0·385	0·380	0·060	29
30		X					0·030			1·080	0·040	0·060	30
31		X		X	0·350	X		0·030	X	0·070	X	0·035	31
Total	4·200	3·710	1·415	2·645	6·355	2·415	2·495	1·865	1·980	8·495	4·860	4·345	YEAR'S TOTAL 44·810
Rain Days.	22	18	12	15	15	12	10	10	12	24	20	20	190

W. 8,000, VIII. 16

4138

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 5. JAN 1918

Kept at Town Hall, Ramsey

in the ~~County of~~ Isle of Man

by George W. Dewin

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.005			0.005			0.610		0.095	0.180	1
2	0.165		0.035	0.010						0.010	0.425	0.560	2
3		0.105	0.010	0.085		0.200			0.005	0.270	0.340	0.105	3
4	0.270		0.130							0.410	0.090	0.770	4
5	0.245		0.180	0.200						0.310	0.575	0.025	5
6				0.010						0.620	0.210	0.115	6
7	0.830		0.005			0.060				0.060	0.020		7
8				0.100				0.240	0.025	0.480	0.020	0.030	8
9			0.010	0.040	0.030			0.310		0.100	0.265		9
10	0.140		0.650	0.540	0.155			0.090		0.030			10
11	0.255	0.080		0.180	0.050			0.520	0.080	0.300	0.060		11
12	0.080	0.625	0.025	0.055	0.920			0.005	0.020	0.435		0.060	12
13				0.015	0.110			0.230	0.330	0.025	0.110	0.155	13
14				0.130	0.050			0.110		0.090		0.005	14
15				0.200	0.010			0.060	0.140	0.520		0.925	15
16				0.165				0.125		0.090		0.290	16
17		0.115		0.150	0.095		0.045	0.250	0.410	0.330			17
18			0.035	0.025	0.160		0.900	0.140	0.020	0.080			18
19		0.480	0.210		0.380			0.050				0.240	19
20	0.020	0.420			0.280	0.475			0.050	0.460	0.395	0.600	20
21		0.020	0.090		0.650	0.015		0.060	0.060	0.090	0.015		21
22		0.010						0.920	0.105	0.350	0.005		22
23		0.195			0.200	0.200		0.600	0.025	0.130			23
24					0.010	0.005	0.120	0.050		0.320	0.110	0.110	24
25		0.080	0.100					0.460	0.015	0.035	0.040		25
26					0.050	0.030		0.340	0.080	0.040	0.645	0.040	26
27			0.010		0.680		0.080	0.580		0.095			27
28		0.005	0.125				0.010	0.680		0.040			28
29			0.160							1.285			29
30		X								0.080	0.135		30
31		X	0.030	X	0.530	X			X		X		31
Total	2.005	1.535	1.810	1.935	4.360	1.290	1.155	5.850	1.975	4.115	3.915	4.240	YEAR'S TOTAL 37.185
Rain Days.	8	10	16 15	15	17	6 7	5	20 19	14	28	18 17	15	17 3 169

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at The Town Hall, Ramsey

in the ~~County of~~ Isle of Man

by Geo. W. Dawson Town Surveyor.

Lat. ..... Long. .....

Time of Observation 7 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' 0" in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Correction made

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.375		0.020					0.010	0.065	1.100	0.210	1
2		0.080							0.030	0.210	0.370	0.370	2
3		0.130			0.690					1.250	0.085	0.030	3
4	0.005	0.540			0.300				0.050	0.405	1.580	0.265	4
5	0.010	0.005		0.085	0.130			1.220		0.420	0.050	0.740	5
6	0.015	0.340		0.050	0.050	0.230	0.030			0.650		0.150	6
7	0.090				0.090				0.120	0.005	0.490	1.320	7
8	0.095			0.005		0.240	0.130	0.020	0.040	0.325	0.045		8
9	0.040	0.410	0.040	0.020		0.230	0.240		0.190	0.390	0.110	0.095	9
10	0.035	0.390	0.060	0.490		0.010	0.125		0.140	0.145	0.185	0.240	10
11	0.050	0.010	0.140		0.160		0.050		0.060		0.025	0.110	11
12	0.230	0.465		0.015	0.140				0.020			0.065	12
13	0.010	0.010			0.120	0.015			0.290	0.320			13
14	0.440					0.080	0.500		0.320			0.030	14
15		0.080			0.060	0.100	0.320		2.460	0.380		0.310	15
16		1.280			0.010	0.025		0.090	0.540	0.010		0.150	16
17	0.365	0.240	0.015				0.005	0.040	0.330	0.150		0.725	17
18	0.910	0.435	0.185			0.360		0.010	0.020	0.010		0.145	18
19	1.120	0.030	0.140	0.430		0.020		0.005	0.110	0.100		0.820	19
20	1.120	0.050		0.130		0.120	1.040		0.365			0.090	20
21	0.540	0.020				0.005	0.055		1.210			0.090	21
22	0.320				0.685	0.050	0.870	0.020	0.200			0.320	22
23	0.100				0.485		0.040		0.080	0.015	0.260		23
24	0.240	0.140					0.010	0.290	0.135	0.050	0.195	0.250	24
25	0.220				0.350	0.015	0.050	0.085	0.090		0.015		25
26	0.040	0.050			0.085			0.010	0.250		0.135	0.160	26
27	0.040	0.140	0.535			0.280		0.230	0.200	0.045	0.165	0.330	27
28		0.080	0.200						0.030		0.300	0.400	28
29	0.030		0.030						0.005			0.330	29
30			0.660					0.030	0.085	0.315		0.200	30
31			0.120					0.060		0.615		0.255	31
Total	6.125	5.390	2.125	1.245	3.355	1.780	3.465	2.110	7.410	6.145	5.110	8.530	YEAR'S TOTAL 52.820
Rain Days	22	21	11	8	14	14	13	12	26	20	16	24	204

W, 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1919

3936

FORM A. BRITISH RAINFALL. 5 JAN 20

Kept at Ramsey (Irwin Hall)

in the ~~County of~~ Isle of Man

by Geo. W. Jevins

Lat. ..... Long. .....

Time of Observation 9 a.m. on the day before

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.070

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.530		0.210		0.270		0.050		0.630	0.390		0.600	1
2	0.120		0.210		0.015		0.035			0.015		0.030	2
3	0.550	0.070			0.190	0.035						0.060	3
4	0.110	0.010			0.005	0.030	0.110	0.215	0.740		0.020	0.080	4
5	0.030											0.240	5
6	0.110	0.015	0.440		0.020				0.060	0.070		0.060	6
7	0.290		0.170	0.120		0.070							7
8	0.140		0.095	0.010		0.005		0.145			0.020		8
9	0.650		0.220	0.040								0.645	9
10	0.475		0.100	0.110						0.025		2.180	10
11	0.150		0.025	0.095	0.120	0.050	0.040			0.070	0.055	0.200	11
12					0.005	0.550			0.305	0.025	0.005	0.045	12
13	0.530			0.450			0.025	0.080		0.435		1.000	13
14	0.280	0.005		0.355			0.020	0.110		0.310		0.440	14
15	0.275	0.380		0.030	0.210			0.015			0.100	0.245	15
16	0.045					0.060					0.360	0.100	16
17				0.020	0.015			0.220			0.510		17
18	0.090		1.025			0.025	0.365	0.100	0.140		0.025	0.060	18
19	0.195	0.610	1.545			0.225	0.010	0.010	0.390		0.145	0.040	19
20	0.275	0.060	0.100		0.130	0.145					0.505	0.285	20
21		0.245			0.080			0.005	0.080		0.100	0.050	21
22		0.245				0.020		0.025	0.100	0.060	0.015	0.620	22
23	0.050			0.020		0.095			0.010	1.510	0.030		23
24	0.045				0.110			0.020	0.035	0.190	0.200	0.100	24
25	0.330			0.040				0.740	0.245	0.010	0.040	0.005	25
26	0.040		0.220	0.060		0.095		0.015	0.100			1.380	26
27	0.140			0.035					0.110				27
28				0.410		0.010		0.380	0.035			0.430	28
29	0.030		0.020	0.095				0.005	0.120			0.025	29
30			0.100	0.060		0.200					1.445	0.880	30
31			0.015				0.030	0.010				0.070	31
Total	5.540	1.670	4.495	1.930	1.170	1.575	0.685	2.095	3.130	3.110	3.605	9.930	38.935
Rain Days.	24	8	15	16	10	15	9	14	15	12	15	25	177

YEAR'S TOTAL

W. 8,000, IX. 17.

181

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Town Hall, Ramsey

in the ~~County of~~ Isle of Man

by Joseph W. Quine

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.020		0.260	0.110	1.110	0.005	0.310	0.005	0.090	0.775	0.020	0.650	1
2	0.160			0.050	0.040		0.350		0.440	0.070		0.775	2
3	0.135	0.115		0.020			0.020	0.090	0.130	0.260	0.010	0.250	3
4					0.030		0.060	1.180	0.040	0.500	0.050		4
5			0.025		0.410		0.070	0.175	0.080	1.380			5
6			0.560	0.530	0.150					0.560		0.030	6
7	0.030	0.115	0.030	0.030	0.030		0.135	0.360		0.220			7
8	0.020	0.030		0.090	0.110			0.270			0.060	0.065	8
9	0.140	0.165		0.330	0.005		0.045		0.450		0.005	0.005	9
10	1.120	0.075	0.025				0.230						10
11	0.365		0.030	0.010	0.250	0.555	0.160	0.010					11
12	0.180	0.130	0.200	0.645	0.015	0.395	0.755				0.595	0.060	12
13	0.140	0.030	0.740		0.025	0.200				0.050	0.080	0.060	13
14	0.230	0.255		0.660		0.165	0.125		0.110	0.005	0.480		14
15		0.330		0.045					0.040	0.090	0.020		15
16		0.020	0.050	0.070	0.075	0.025	0.250		0.580				16
17	0.010	0.015			0.615		0.035	0.420	0.040				17
18	0.395	0.005		0.130	0.560			0.040	0.300				18
19	0.005	0.230		0.225	0.090	0.210			0.040			0.005	19
20	0.050			0.460					0.055	0.100		0.525	20
21	0.015			0.080						0.175		0.130	21
22	0.240			0.730			0.245	0.380		0.010		0.050	22
23	0.485		0.095	0.045			0.020	0.075				0.260	23
24	0.340		0.510	0.090		0.005	0.100	0.010			0.030	0.050	24
25	0.345		0.760	0.070	0.075	0.020	0.440				0.170	0.090	25
26	0.530		0.700	0.160	0.005		0.005				0.340	0.030	26
27	0.180	0.065	1.170	0.095	0.090	0.355	0.080				0.670	0.060	27
28		0.020	0.010	0.005		0.020	0.025				0.010	0.250	28
29	0.440		0.010			0.020	0.130				0.570	0.715	29
30	0.145		0.020		0.200				0.470	0.120	0.615	1.280	30
31	0.050		0.120		0.060		0.030	0.040		0.890		0.165	31
TOTAL	5.770	1.600	5.315	4.680	3.945	1.975	3.625	2.995	2.865	5.205	3.725	5.505	47.205
Days with .01 in. or more	24	14	18	22	18	10	21	12	14	14	15	19	201

YEAR'S TOTAL

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4421

RAMSEY, NTH PROMENADE

1915–20

15

FORM A.
BRITISH RAINFALL.

6 JUN 1916

Kept at Hou

in the County of

by G. W. T

ng.

10 a.m. except

en last day of month at

Rain Gauge 5 in.

e above Ground 2 ft. 0 in.

„ Sea Level just above ft.

IMPORTANT

previous day. If

requested to add t

and the result entered to the universal rule, he is earnestly

g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·760	0·620		0·215			0·180	0·005	0·015	0·145			1
2	0·290	1·210	0·460	0·245		0·090	0·335						2
3	0·005	0·195	0·015	0·065	0·025		0·245		0·010			0·420	3
4	0·240	0·045	0·035	0·540	0·010	0·130	0·005	0·055				0·230	4
5	0·190	0·360	0·145	0·490		0·030		0·055				1·430	5
6	0·110	0·190	0·005	0·050		0·010	1·175		0·145			0·040	6
7	0·140	0·975		0·040		0·015	0·460	0·135		0·190	0·035	0·035	7
8	0·040	0·320		0·065				0·035		0·250	0·430	0·015	8
9	0·030	0·350		0·300		0·010		0·010		0·005	0·475	0·560	9
10	0·520	0·045	0·040	0·005	0·460	0·005	0·020			0·060	0·080	0·220	10
11	0·005			0·195	0·005		0·025			0·550	0·230	0·330	11
12	0·100			0·005			0·010	0·010			1·380	0·035	12
13							0·035	0·140	0·035	0·010	0·180	0·280	13
14	0·120			0·015			0·080	0·040	0·050		0·120	0·005	14
15	0·385				0·230			0·030				0·580	15
16		2·660			0·115		0·290	0·120	0·035			0·035	16
17		0·290	0·055										17
18		0·770		0·435	0·480					0·055			18
19	0·035	0·005	0·025		0·085		0·100			0·030		0·050	19
20	0·200	0·010		0·010			0·015	0·020				0·420	20
21	0·085	0·050										0·180	21
22		0·155	0·260	0·070		0·110	0·045		0·300	0·100	0·010	0·290	22
23			0·005			0·085			0·400	2·325		0·135	23
24	0·005		0·090				0·035		0·010	0·220	0·010	0·510	24
25						0·035			0·010			0·210	25
26		2·240				0·290	0·055	0·015		0·015		1·445	26
27		0·055		0·000	0·020	0·005				1·395	0·190	0·120	27
28		0·125			0·015	0·005	0·020	0·250		0·010	0·150	0·040	28
29				0·130						0·090	0·565	0·265	29
30	0·100			0·030							0·540	0·890	30
31	0·040		0·230				0·015	0·210				1·600	31
Total	3·380	10·100	1·365	2·935	1·445	0·820	3·145	1·130	1·010	5·450	4·395	10·350	YEAR'S TOTAL 45·525
Rain Days.	19	19	10	16	9	10	18	14	10	15	14	26	187

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 6 JUN 1916

Kept at North Promenade

in the County of Ramsey Isle of Man

by G. W. Kewin, Town Surveyor.

Lat. ..... Long. .....

Time of Observation 10 a.m. except last day of month at 10 a.m.

~~Nearest Railway Station~~

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level just above ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·760	0·620		0·215			0·180	0·005	0·015	0·145			1
2	0·290	1·210	0·460	0·245		0·090	0·335						2
3	0·005	0·195	0·015	0·065	0·025		0·245		0·010			0·420	3
4	0·240	0·045	0·035	0·540	0·010	0·130	0·005	0·055				0·230	4
5	0·190	0·360	0·145	0·490		0·030		0·055				1·430	5
6	0·110	0·190	0·005	0·050		0·010	1·175		0·145			0·040	6
7	0·140	0·975		0·040		0·015	0·460	0·135		0·190	0·035	0·035	7
8	0·040	0·320		0·065				0·035		0·250	0·430	0·015	8
9	0·030	0·350		0·300		0·010		0·010		0·005	0·475	0·560	9
10	0·520	0·095	0·040	0·005	0·460	0·005	0·020			0·060	0·080	0·220	10
11	0·005			0·195	0·005		0·025			0·550	0·230	0·330	11
12	0·100			0·005			0·010	0·010			1·380	0·035	12
13							0·035	0·140	0·035	0·010	0·180	0·280	13
14	0·120			0·015			0·080	0·040	0·050		0·120	0·005	14
15	0·385				0·230			0·030				0·580	15
16		2·660			0·115		0·290	0·120	0·035			0·035	16
17		0·290	0·055										17
18		0·770		0·435	0·480					0·055			18
19	0·035	0·005	0·025		0·085		0·100			0·030		0·050	19
20	0·200	0·010		0·010			0·015	0·020				0·420	20
21	0·085	0·050										0·180	21
22		0·155	0·260	0·090		0·110	0·045		0·300	0·100	0·010	0·290	22
23			0·005			0·085			0·400	2·325		0·135	23
24	0·005		0·090				0·035		0·010	0·220	0·010	0·510	24
25						0·035			0·010			0·210	25
26		2·240				0·290	0·055	0·015		0·015		1·445	26
27		0·055		0·090	0·020	0·005				1·395	0·190	0·120	27
28		0·125			0·015	0·005	0·020	0·250		0·010	0·150	0·040	28
29				0·130						0·090	0·565	0·265	29
30	0·100			0·030							0·540	0·890	30
31	0·040		0·230				0·015	0·210				1·600	31
Total	3·380	10·100	1·365	2·935	1·445	0·820	3·145	1·130	1·010	5·450	4·395	10·350	YEAR'S TOTAL 45·525
Rain Days.	17[19]	19	10[11]	16[18]	9	10[12]	18	14[15]	10	15	14	20[21]	178[187]

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at North Promenade, Ramsey

in the ~~County of~~ Isle of Man

by George W. Dewin

Lat. ..... Long. .....

Time of Observation 10 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge Same as before in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.190	0.230	0.110			0.490	0.405	0.110			0.035	0.020	1
2	0.600	0.220	0.020		0.090	0.120			0.425	1.050	0.080	0.090	2
3	0.020	1.335		0.040		0.350			0.835	0.300	0.550	0.060	3
4	0.040	0.040	0.045	0.010	0.200	0.100			0.015	0.560	0.465		4
5	0.015	0.280	0.025		0.675		0.150		0.025	0.910	0.045		5
6	0.145	0.035			0.495	0.010	0.685			0.395	1.035		6
7	0.310				1.320		0.225			0.260	0.145	0.185	7
8	0.050				0.005	0.005	0.005			0.010	0.620	0.040	8
9	0.015				0.030	0.030	0.015			0.035	0.030	0.070	9
10	0.050	0.295		0.180	0.130	0.010	0.100			0.290		0.015	10
11	0.045		0.005	0.320	0.220		0.270		0.035	0.010			11
12	0.075	0.185	0.375	0.035	0.320		0.250	0.010	0.035	0.180			12
13		0.175	0.085	0.220	0.015			0.290		0.560			13
14	0.015	0.135		0.100	0.135			0.125	0.015	0.150	0.020		14
15		0.140		0.200			0.025	0.010	0.010	0.190		0.200	15
16	0.080	0.110	0.005	0.100	0.020				0.010	0.140			16
17	0.540	0.140		0.290				0.090	0.390	0.325			17
18	0.265	0.060		0.100					0.230	0.085	0.240	0.620	18
19	0.130		0.320	0.020				0.160			0.240	0.130	19
20	0.450		0.015	0.025					0.010		0.120	0.960	20
21	0.180			0.040	0.045	0.195			0.070		0.010		21
22			0.010	0.035		0.610			0.015	0.280		0.290	22
23	0.400		0.015	0.425				0.020		0.590	0.920	0.460	23
24	0.005			0.315	0.275	0.005		0.535		0.110	0.210	0.010	24
25			0.190	0.005	0.755	0.210		0.555		0.190	0.215	0.215	25
26	0.210		0.060			0.060			0.060	0.040	0.005		26
27	0.105	0.035			0.020	0.250			0.120	0.340	0.005	0.040	27
28	0.130	0.015								0.330	0.015	0.290	28
29	0.145	0.150				0.040				0.615	0.350	0.060	29
30					0.005	0.145	0.035			0.610	0.185	0.050	30
31					0.280			0.030		0.070		0.035	31
													YEAR'S TOTAL
Total	4.240	3.580	1.280	2.790	5.535	2.630	2.165	1.935	2.300	8.655	4.940	3.840	43.890
Rain Days.	24	14	12	14	14	14	10	11	16	27	20	20	205

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Nettle Promenade, Ramsey

in the ~~County of~~ Isle of Man

by Geo. W. Dewin

Lat. ..... Long. .....

Time of Observation ..... as before

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

JAN 1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.015			0.010			0.140		0.090	0.220	1
2	0.140	0.056	0.040	0.020					0.005	0.020	1.120	0.620	2
3	0.065	0.050		0.080		0.200				0.230	0.120	0.250	3
4	0.285		0.150	0.020						0.400	0.110	0.660	4
5	0.245		0.230	0.190					0.010	0.350	0.380	0.010	5
6			0.005	0.030		0.010				0.655	0.140	0.090	6
7	0.830	0.005	0.005			0.050				0.080	0.050	0.010	7
8				0.125				0.325	0.025	0.500	0.050	0.030	8
9			0.020	0.030	0.155			0.250		0.100	0.260		9
10	0.140		0.570	0.470	0.055			0.110		0.030			10
11	0.290	0.100	0.010	0.190	0.050			0.490	0.140	0.240	0.065		11
12	0.080		0.040	0.080	0.890			0.050	0.055	0.410		0.060	12
13				0.065	0.090			0.200	0.315	0.015	0.100	0.165	13
14				0.065	0.065			0.080		0.190	0.005	0.005	14
15				0.240				0.050	0.130	0.390		1.050	15
16				0.085				0.125	0.005	0.380		0.060	16
17		0.115	0.005	0.190	0.060		0.440	0.240	0.400	0.110	0.005		17
18		0.010	0.060	0.015	0.280		0.600	0.150	0.020	0.020		0.070	18
19		0.665	0.200		0.220			0.050	0.020	0.015	0.005	0.250	19
20	0.015	0.345			0.290	0.855		0.050	0.030	0.580	0.440	0.400	20
21		0.005	0.055		0.650	0.015		0.060	0.100	0.040	0.010		21
22		0.140						0.930	0.070	0.240	0.015		22
23		0.060	0.005		0.215	0.190		0.490	0.035	0.220	0.030	0.030	23
24		0.010			0.035	0.010	0.145	0.050		0.240	0.110	0.110	24
25		0.090	0.110					0.650	0.180	0.050	0.050		25
26					0.110	0.035		0.080	0.140	0.040	0.505	0.070	26
27		0.010	0.010		0.640		0.080	1.115		0.050	0.005		27
28			0.100				0.020	0.280		0.100			28
29			0.180					0.015		1.410			29
30		X			0.005					0.060	0.110		30
31		X	0.025	X	0.590	X		0.440	X		X		31
Total	2.090	1.660	1.835	1.895	4.400	1.375	1.285	6.280	1.850	4.225	3.805	4.160	37.860
Rain Days.	9	12	16	16	16	9	5	23	16	29	19	18	188

YEAR'S TOTAL

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at near North Promenade, Ramsey

in the ~~County of~~ Isle of Man

by George W. Dawson Town Surveyor

Lat. ____ Long. ____

Time of Observation 10 a.m.

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Correction made

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.350		0.035	0.005				0.150	0.070	0.815	0.200	1
2		0.100							0.045	0.360	0.320	0.390	2
3		0.500			0.840					0.725	0.365	0.060	3
4	0.020	0.170			0.060			0.050	0.050	0.590	1.315	0.475	4
5		0.085		0.090	0.150			1.190		0.285	0.055	0.590	5
6	0.030	0.270		0.045	0.010	0.250	0.030			0.650	0.005	0.090	6
7	0.090				0.090		0.035		0.100	0.010	0.475	1.225	7
8	0.090			0.040		0.380	0.150	0.060	0.050	0.750	0.355	0.040	8
9	0.030	0.390	0.055	0.110		0.180	0.240		0.170	0.150	0.045	0.190	9
10	0.040	0.320	0.040	0.320			0.150		0.140	0.120	0.075	0.160	10
11	0.050	0.015	0.155		0.155				0.015		0.035	0.090	11
12	0.150	0.470		0.045	0.320				0.025			0.070	12
13	0.055	0.010			0.005	0.035			0.475	0.430			13
14	0.485					0.100	0.480		0.070			0.060	14
15	0.010	0.080			0.055	0.135	0.345		2.315	0.440		0.300	15
16		1.380			0.025			0.090	0.490			0.090	16
17	0.610	0.570	0.025					0.030	0.080	0.190		0.780	17
18	0.755	0.305	0.395			0.430		0.020	0.020	0.010		0.230	18
19	0.960	0.030	0.060	0.495		0.020		0.010	0.085	0.090		0.440	19
20	1.750	0.050		0.050	0.010	0.115	0.995		0.350			0.090	20
21	0.120	0.020				0.065	0.225		1.030			0.230	21
22	0.260				0.945	0.035	0.710	0.030	0.290			0.160	22
23	0.290				0.250		0.060		0.065	0.020	0.305		23
24	0.115	0.125				0.060	0.040	0.350	0.075	0.060	0.215	0.220	24
25	0.025				0.440	0.010	0.040	0.040	0.255		0.140		25
26	0.050	0.050						0.110	0.085	0.060	0.030	0.110	26
27	0.055	0.190	0.425			0.260		0.155	0.200	0.005	0.190	0.310	27
28	0.060	0.080	0.190						0.040	0.010	0.300	0.825	28
29			0.225					0.035	0.010	0.020	0.010	0.245	29
30		X	0.420					0.010	0.090	0.340	0.010	0.180	30
31		X	0.100	X	X			0.040	X	0.860	X	0.200	31
Total	6.100	5.560	2.090	1.230	3.390	2.045	3.530	2.280	6.440	6.305	5.060	8.380	YEAR'S TOTAL 52.440
Rain Days.	23	22	11	9	13	14	13	15	24	23	18	28	210

W. 6,500, VII. 18. W W G

3937

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at North Promenade Ramsey

in the ~~County of~~ Isle of Man

by Mrs. J. Lewis

Lat. ..... Long .....

Time of Observation 10 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.100

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.430		0.275		0.290		0.070		0.265	0.410		0.580	1
2	0.370		0.225	0.005	0.015		0.050				0.005	0.025	2
3	0.300	0.080			0.195	0.055		0.060				0.065	3
4	0.135	0.015				0.050	0.090	0.175	0.770		0.030	0.265	4
5	0.020								0.040			0.050	5
6	0.070		0.470		0.030				0.030	0.080		0.050	6
7	0.265	0.010	0.105	0.100		0.070		0.150					7
8	0.300		0.095	0.015		0.010		0.030			0.030		8
9	0.370		0.375	0.060								0.555	9
10	0.470		0.035	0.100		0.070				0.040		2.585	10
11	0.130		0.030	0.065	0.125	0.220	0.050		0.190	0.080	0.055	0.175	11
12	0.005			0.025	0.030	0.465			0.100	0.035	0.005	0.640	12
13	0.730			0.740		0.005	0.050	0.200		0.490		0.625	13
14	0.280	0.085		0.040			0.020			0.210		0.465	14
15	0.270	0.290		0.020	0.220			0.030			0.150	0.225	15
16	0.080	0.005	0.015	0.015		0.055					0.430	0.070	16
17	0.050		0.010					0.110			0.410		17
18	0.100		1.485			0.150	0.435	0.120	0.070		0.030	0.065	18
19	0.200	0.590	1.065			0.050			0.420		0.240	0.050	19
20	0.280	0.040	0.010		0.210	0.160					0.695	0.260	20
21	0.005	0.310				0.015	0.030	0.015	0.150		0.025	0.070	21
22		0.225				0.060		0.035	0.030	0.115	0.025	0.600	22
23	0.060			0.035		0.030			0.040	1.100	0.025	0.005	23
24	0.140				0.120	0.010		0.140	0.030	0.040	0.200	0.085	24
25	0.180			0.060				0.680	0.240	0.020	0.055		25
26	0.060		0.200	0.065		0.075		0.045	0.110			1.300	26
27	0.140			0.130					0.200				27
28				0.390		0.015		0.370	0.080			0.555	28
29			0.010	0.090				0.010	0.060			0.025	29
30			0.105	0.070		0.300					1.565	0.750	30
31							0.040	0.255				0.100	31
TOTAL	5.440	1.650	4.510	2.025	1.235	1.865	0.835	2.425	2.825	2.620	3.975	10.240	YEAR'S TOTAL 39.645
Days with .01 in. or more	~~24~~ 25	10	16	17	9	18 19	9	16	17	11	15	25 26	~~186~~ 190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3831

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at North Promenade

in the ~~County~~ of Ramsey Isle of Man

by Offices to Council

Lat. ..... Long. .....

Time of Observation 10 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.030		0.280	0.140	1.080		0.325	0.010	0.180	0.760		0.625	1
2	0.155			0.020	0.050		0.345		0.350	0.055		0.830	2
3	0.120	0.155		0.025				0.120	0.150	0.415	0.020	0.250	3
4					0.220			1.250	0.080	0.365	0.060		4
5			0.040		0.290		0.305	0.100	0.050	1.450			5
6			0.565	0.510	0.110		0.015			0.610		0.040	6
7	0.055	0.110	0.040		0.010		0.500	0.500		0.220		0.005	7
8		0.100	0.020	0.090	0.110		0.220	0.240			0.060	0.070	8
9	0.470	0.055	0.010	0.280			0.250		0.420		0.010	0.005	9
10	0.755		0.030				0.025					0.005	10
11	0.355		0.105	0.070	0.290	0.565	0.300	0.020					11
12	0.190	0.100	0.420	0.560		0.420	0.550			0.010	0.400	0.050	12
13	0.145	0.040	0.380	0.220	0.040	0.300				0.060	0.050	0.050	13
14	0.270	0.270		0.420		0.080	0.115		0.135	0.050	0.440		14
15	0.015	0.350		0.080					0.130	0.090			15
16	0.010	0.050	0.060	0.020	0.100	0.040	0.270		0.490				16
17	0.010		0.060		0.710			0.300	0.060	0.010			17
18	0.435	0.170		0.110	0.410			0.050	0.255				18
19	0.015	0.050		0.230	0.080	0.310			0.030			0.115	19
20	0.070			0.410					0.060	0.135		0.335	20
21	0.035			0.590			0.050			0.130		0.080	21
22	0.190			0.280			0.250	0.430		0.025		0.060	22
23	0.840		0.090	0.130				0.020				0.230	23
24	0.055		0.500	0.040		0.010	0.110				0.065	0.100	24
25	0.565		1.250	0.020	0.040	0.030	0.450				0.140	0.100	25
26	0.140	0.100	0.140	0.300	0.070						0.680	0.095	26
27	0.350		1.300		0.040	0.370	0.100				0.355	0.015	27
28		0.020	0.030			0.030	0.010				0.015	0.200	28
29	0.440		0.020		0.040	0.025	0.120				0.570	0.650	29
30	0.330		0.200		0.160				0.450	0.225	0.675	1.670	30
31			0.120		0.060		0.030	0.070		0.750		0.035	31
TOTAL	6.045	1.570	5.660	4.545	3.910	2.180	4.340	3.110	2.840	5.360	3.540	5.635	YEAR'S TOTAL 48.735
Days with .01 in. or more	25	13	21	21	19	11	20	12	14	17	14	20	207
Days with .04 in. or more	19	12	16	17	18	7	16	9	13	14	11	18	170

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.